### MCKINNEY ORTHODONTICS PC RECURRING PAYMENT PLAN

Orthodontist McKinney Orthodontics PC Account #						
Responsible Name:			Patient Name:			
Responsible Address:		Responsible SSN:				
City, State, Zip:			Email:			
Home #:			Patient's Birthdate:			
Cell #:			Work #:			
Amount of Total Withdrawal	Monthly Payment Amount	Final Payment Amount	Total Number of Monthly Withdrawals	Withdrawal Regin Liste		<mark>ate</mark>
				Month	(Day	Year
					5 12 19 26	
Please select th	e primary and seco	ondary accounts M	AcKinney Orthodontics	is to debit	t:	
	<b>Primary Accoun</b>	<mark>it</mark>	Sec	ondary A	Account	
Checking *	Savings	3	Checking *	□s	avings	
Name(s) as it ap	pears on your account		Name(s) as it appears on your account			
Bank Account # Routing #		Bank Account #		Routing #		
Credit Card	* Card Type		Credit Card *	Card <sup>-</sup>	Туре	
Credit Card #			Credit Card #			
*3% fee will be added to the end of contract for automatic monthly withdrawals set up will debit/credit cards*		Expiration Date/CVV				
	MCKINN		CS PC EFT AUTHOR	IZATION		
which I am an author Orthodontics will beg provided to McKinner account for payment monthly statement. I exceed the balance of	ized signer) via electronion in withdrawals from my by Orthodontics by the Ort to the Orthodontist, for prunderstand my final payr	c funds transfer (EFT). I unank or credit card account hodontist, is paid in full. It ofessional services rendment may be slightly more Orthodontist need to re-	Iontist, to initiate debit entrieunderstand that beginning ont. Such withdrawals will coll understand that McKinner lered, and that the name Now or less than the Monthly Feduce the amount of debit, ton to me.	on the date list ntinue each r y Orthodontion McKinney Orthog Payment Amo	sted above, McKinn month until the entire is is debiting funds fr hodontics may/will ap bunt listed above, bu	bey Selance, com my opear on my t will not
I further agree that should McKinney Orthobanc be notified that funds are not available in my bank account (NSF, closed account, etc.) or that a charge to my bankcard is denied, a \$25 fee will be charged by McKinney Orthodontics and/or any fees charged by my financial institution to McKinney Orthodontics will be charged back to myself. I agree that if funds are not available from the account I choose as primary, McKinney Orthodontics can attempt to secure funds from my secondary account. If no secondary account is provided, McKinney Orthodontics can redraft my primary account. I understand that if I choose to discontinue this method of payment I must notify McKinney Orthodontics a minimum of 7 days prior to my scheduled debit date. I also authorize McKinney Orthodontics to contact me at any of the telephone numbers listed above.						
Signature:			-			
Date:			-			
	Blvd., Suite A, Tusc Tusc. or 256-532-8 tho.com		\			

### **Results of Treatment**

Orthodontic treatment usually proceeds as planned, and we intend to do everything possible to achieve the best results for every patient. However, we cannot guarantee that you will be completely satisfied with your results, nor can all complications or consequences be anticipated. The success of treatment depends on your cooperation in keeping appointments, maintaining good oral hygiene, avoiding loose or broken appliances, and following the orthodontist's instructions carefully.

### **Length of Treatment**

The length of treatment depends on a number of issues, including the severity of the problem, the patient's growth and the level of patient cooperation. The actual treatment time is usually close to the estimated treatment time, but treatment may be lengthened if, for example, unanticipated growth occurs, if there are habits affecting the dentofacial structures, if periodontal or other dental problems occur, or if patient cooperation is not adequate. Therefore, changes in the original treatment plan may become necessary. If treatment time is extended beyond the original estimate, additional fees may be assessed.

### **Discomfort**

The mouth is very sensitive so you can expect an adjustment period and some discomfort due to the introduction of orthodontic appliances. Non-prescription pain medication can be used during this adjustment period.

### Relapse

Completed orthodontic treatment does not guarantee perfectly straight teeth for the rest of your life. Retainers will be required to keep your teeth in their new positions as a result of your orthodontic treatment. You must wear your retainers as instructed or teeth may shift, in addition to other adverse effects. Regular retainer wear is often necessary for several years following orthodontic treatment. However, changes after that time can occur due to natural causes, including habits such as tongue thrusting, mouth breathing, and growth and maturation that continue throughout life. Later in life. most people will see their teeth shift. Minor irregularities, particularly in the lower front teeth, may have to be accepted. Some changes may require additional orthodontic treatment or, in some cases, surgery. Some situations may require non-removable retainers or other dental appliances made by your family dentist.

### **Extractions**

Some cases will require the removal of deciduous (baby) teeth or permanent teeth. There are additional risks associated with the removal of teeth which you should discuss with your family dentist or oral surgeon prior to the procedure.

### **Orthognathic Surgery**

Some patients have significant skeletal disharmonies which require orthodontic treatment in conjunction with orthognathic (dentofacial) surgery. There are additional risks associated with this surgery which you should discuss with your oral and/or maxillofacial

surgeon prior to beginning orthodontic treatment. Please be aware that orthodontic treatment prior to orthognathic surgery often only aligns the teeth within the individual dental arches. Therefore, patients discontinuing orthodontic treatment without completing the planned surgical procedures may have a malocclusion that is worse than when they began treatment!

### **Decalcification and Dental Caries**

Excellent oral hygiene is essential during orthodontic treatment as are regular visits to your family dentist. Inadequate or improper hygiene could result in cavities, discolored teeth, periodontal disease and/or decalcification. These same problems can occur without orthodontic treatment, but the risk is greater to an individual wearing braces or other appliances. These problems may be aggravated if the patient has not had the benefit of fluoridated water or its substitute, or if the patient consumes sweetened beverages or foods.

### **Root Resorption**

The roots of some patients' teeth become shorter (resorption) during orthodontic treatment. It is not known exactly what causes root resorption, nor is it possible to predict which patients will experience it. However, many patients have retained teeth throughout life with severely shortened roots. If resorption is detected during orthodontic treatment, your orthodontist may recommend a pause in treatment or the removal of the appliances prior to the completion of orthodontic treatment.

### **Nerve Damage**

A tooth that has been traumatized by an accident or deep decay may have experienced damage to the nerve of the tooth. Orthodontic tooth movement may, in some cases, aggravate this condition. In some cases, root canal treatment may be necessary. In severe cases, the tooth or teeth may be lost.

### **Periodontal Disease**

Periodontal (gum and bone) disease can develop or worsen during orthodontic treatment due to many factors, but most often due to the lack of adequate oral hygiene. You must have your general dentist, or if indicated, a periodontist monitor your periodontal health during orthodontic treatment every three to six months. If periodontal problems cannot be controlled, orthodontic treatment may have to be discontinued prior to completion.

### **Injury From Orthodontic Appliances**

Activities or foods which could damage, loosen or dislodge orthodontic appliances need to be avoided. Loosened or damaged orthodontic appliances can be inhaled or swallowed or could cause other damage to the patient. You should inform your orthodontist of any unusual symptoms or of any loose or broken appliances as soon as they are noticed. Damage to the enamel of a tooth or to a restoration (crown, bonding, veneer, etc.) is possible when orthodontic appliances are removed. This problem may be more likely when esthetic (clear or tooth colored) appliances have been selected. If damage to a tooth or restoration occurs, restoration of the involved tooth/teeth by your dentist may be necessary.

### Headgears

Orthodontic headgears can cause injury to the patient. Injuries can include damage to the face or eyes. In the event of injury or especially an eye injury, however minor, immediate medical help should be sought. Refrain from wearing headgear in situations where there may be a chance that it could be dislodged or pulled off. Sports activities and games should be avoided when wearing orthodontic headgear.

# Temporomandibular (Jaw) Joint Dysfunction

Problems may occur in the jaw joints, i.e., temporomandibular joints (TMJ), causing pain, headaches or ear problems. Many factors can affect the health of the jaw joints, including past trauma (blows to the head or face), arthritis, hereditary tendency to jaw joint problems, excessive tooth grinding or clenching, poorly balanced bite, and many medical conditions. Jaw joint problems may occur with or without orthodontic treatment. Any jaw joint symptoms, including pain, jaw popping or difficulty opening or closing, should be promptly reported to the orthodontist. Treatment by other medical or dental specialists may be necessary.

# Impacted, Ankylosed, Unerupted Teeth

Teeth may become impacted (trapped below the bone or gums), ankylosed (fused to the bone) or just fail to erupt. Oftentimes, these conditions occur for no apparent reason and generally cannot be anticipated. Treatment of these conditions depends on the particular circumstance and the overall importance of the involved tooth, and may require extraction, surgical exposure, surgical transplantation or prosthetic replacement.

### **Occlusal Adjustment**

You can expect minimal imperfections in the way your teeth meet following the end of treatment. An occlusal equilibration procedure may be necessary, which is a grinding method used to fine-tune the occlusion. It may also be necessary to remove a small amount of enamel in between the teeth, thereby "flattening" surfaces in order to reduce the possibility of a relapse.

### **Non-Ideal Results**

Due to the wide variation in the size and shape of the teeth, missing teeth) etc.) achievement of an ideal result (for example, complete closure of a space) may not be possible. Restorative dental treatment, such as esthetic bonding, crowns or bridges or periodontal therapy, may be indicated. You are encouraged to ask your orthodontist and family demist about adjunctive care.

### **Third Molars**

As third molars (wisdom teeth) develop, your teeth may change alignment. Your dentist and/or orthodontist should monitor them in order to determine when, and if the third molars need to be removed.

Continued on next page

### **Allergies**

Occasionally, patients can be allergic to some of the component materials of their orthodontic appliances. This may require a change in treatment plan or discontinuance of treatment prior to completion. Although very uncommon, medical management of dental material allergies may be necessary.

### **General Health Problems**

General health problems such as bone, blood or endocrine disorders, and many prescription and nonprescription drugs (including bisphosphonates) can affect your orthodontic treatment. It is imperative that you inform your orthodontist of any changes in your general health status.

### **Use of Tobacco Products**

Smoking or chewing tobacco has been shown to increase the risk of gum disease and interferes with healing after oral surgery. Tobacco users are also more prone to oral cancer, gum recession, and delayed tooth movement during orthodontic treatment. If you use tobacco, you must carefully consider the possibility of a compromised orthodontic result.

### **Temporary Anchorage Devices**

Your treatment may include the use of a temporary anchorage device(s) (i.e. metal screw or plate attached to the bone.) There are specific risks associated with them

It is possible that the screw(s) could become loose which would require its/their removal and possibly relocation or replacement with a larger screw. The screw and related material may be accidentally swallowed. If the device cannot be stabilized for an adequate length of time, an alternate treatment plan may be necessary.

It is possible that the tissue around the device could become inflamed or infected, or the soft tissue could grow over the device, which could also require its removal, surgical excision of the tissue and/or the use of antibiotics or antimicrobial rinses.

It is possible that the screws could break (i.e. upon insertion or removal.) If this occurs, the broken piece may be left in your mouth or may be surgically removed. This may require referral to another dental specialist.

When inserting the device(s), it is possible to damage the root of a tooth, a nerve, or to perforate the maxillary sinus. Usually these problems are not significant; however, additional dental or medical treatment may be necessary.

Local anesthetic may be used when these devices are inserted or removed, which also has risks. Please advise the doctor placing the device if you have had any difficulties with dental anesthetics in the past.

If any of the complications mentioned above do occur, a referral may be necessary to your family dentist or another dental or medical specialist for further treatment, Fees for these services are not included in the cost for orthodontic treatment.

Patient or Parent/Guardian Initials

### **ACKNOWLEDGEMENT**

I hereby acknowledge that I have read and fully understand the treatment considerations and risks presented in this form. I also understand that there may be other problems that occur less frequently than those presented, and that actual results may differ from the anticipated results. I also acknowledge that I have discussed this form with the undersigned orthodontist(s) and have been given the opportunity to ask any questions. I have been asked to make a choice about my treatment. I hereby consent to the treatment proposed and authorize the orthodontist(s) indicated below to provide the treatment. I also authorize the orthodontist(s) to provide my health care information to my other health care providers. I understand that my treatment fee covers only treatment provided by the orthodontist(s), and that treatment provided by other dental or medical professionals is not included in the fee for my orthodontic treatment.

Signature of Patient/Parent/Guardian	Date
Signature of Orthodontist/Group Nome	Date

Date

# CONSENT TO UNDERGO ORTHODONTIC TREATMENT

Witness

I hereby consent to the making of diagnostic records, including x-rays, before, during and following orthodontic treatment, and to the above doctor(s) and, where appropriate, staff providing orthodontic treatment prescribed by the above doctor(s) for the above individual. I fully understand all of the risks associated with the treatment.

# AUTHORIZATION FOR RELEASE OF PATIENT INFORMATION

I hereby authorize the above doctor(s) to provide other health care providers with information regarding the above individual's orthodontic care as deemed appropriate. I understand chat once released, the above doctor(s) and staff has (have) no responsibility for any further release by the individual receiving this information.

### **CONSENT TO USE OF RECORDS**

I hereby give my permission for the use of orthodontic records, including photographs, made in the process of examinations, treatment, and retention for purposes of professional consultations, research, education, or publication in professional journals.

Signature	Date
Witness	Date
I have the legal authority to sign this on	behalf of
, ,	
Name of Patient	
Relationship to Patient	
Notes	


### IMPORTANT INFORMATION

There is no relationship between the monthly fee for orthodontic services and the monthly visits. Two to twelve weeks may elapse between visits. All payments are due on the \_\_\_\_\_ of each month. Additionally, number of payments does not correlate with length of treatment. Payments may continue after the braces have been removed to fulfill the contract.

All accounts which become thirty days delinquent are subject to a 1.5% service charge per month on the past due amount. This is an annual percentage rate of 18%. Treatment will be discontinued and appliances removed if accounts become more than 60 days delinquent.

Any portion of the treatment fee not paid by the insurance company will become your responsibility. It should be understood that YOU (not your insurance company) are responsible for the full orthodontic fee. We will be happy to assist you in claiming your orthodontic benefits through your insurance plan, as noted elsewhere regarding insurance policies in our office. If the insurance company becomes sixty days delinquent, you will immediately become responsible for the delinquent amount and will be reimbursed, if and when, the insurance company makes payment. Please note: we are happy to initially file any necessary claims, but further issues, changes and nonpayment from your insurance company will be your responsibility.

INITIAL \_\_\_\_\_

This fee does not include any charges made by your dentist. (Cleanings, x-rays, extractions, etc.)

One set of retainers is included. Exclusions are the cost of replacement for lost or broken appliances, home care products, excessive broken braces or appliances and extended treatment time.

In the event that collection procedures are instituted hereon, I agree to pay all expenses of collection, including court costs and a reasonable attorney fee, if such is incurred. I understand and agree that this will take place in Tuscaloosa or Madison County and waive any right to defend this action elsewhere.

INITIAL \_\_\_\_\_

### VISITING YOUR DENTIST

I understand that during orthodontic treatment, regular visits to my dentist are an essential part of the orthodontic patient's treatment. These visits may be necessary every 3-6 months dependent upon the recommendation of Dr. McKinney, the dentist or the hygienist. Regular dental visits are necessary for cleanings along with detection of cavities or bone and gum problems.

Certain problems, such as cavities or bone loss, can only be evaluated by special x-rays taken at the dentist's office. I understand that damage can occur to the teeth, bone and gum tissue if regular dental visits are not kept. I also understand that cleanings and diagnosis for cavities and periodontal disease are not part of the service provided by McKinney Orthodontics or any employee of the practice.

I also understand that Dr. McKinney has the right to remove the braces before orthodontic treatment is completed if the patient is not maintaining regular dental visits or if Dr. McKinney feels that additional damage will occur to the teeth if the braces are left in place. Please initial if you understand information listed above.

INITIAL

### DAILY FLUORIDE USE

Print Name: \_\_\_\_\_

It is very important that, in addition to brushing at least 3 times daily for 2 minutes and flossing once per day, a fluoride be used every night prior to going to bed. This is a recommendation of the American Association of Orthodontists based on years of research. The fluoride helps to protect the teeth and kill bacteria that can cause decalcification (destruction of the tooth). Without the use of this fluoride, the risk of tooth damage increases, resulting in white spots, scars or cavities on the teeth.

Please make sure that the use of this fluoride is not discontinued during orthodontic treatment. Fluoride is not a substitute for good brushing but is a companion to good brushing. If the fluoride recommended is not being used properly and Dr. McKinney feels that additional damage may occur to the teeth if treatment is continued, Dr. McKinney has the right to remove the braces prior to completing orthodontic treatment. Please initial if you understand the information listed above.

		INITIAL	
I HEREBY CERTIFY, that I have re day of	1 4	f the foregoing disclosure staten I agree to the terms thereof.	nent this
Signature:	SS#	Relation:	

# **Insurance Policies and Procedures**

McKinney Orthodontics will provide two services regarding your insurance policy(s).

- 1. We will verify insurance policy benefits and relay this information to you <u>as it has been told to us</u> at the time of your exam. This information is only as accurate as the representative that we speak with.
- 2. We will file the appropriate claims as outlined in your policy. We are not responsible for payment/nonpayment from your insurance company. If the insurance company becomes 60 days delinquent, <u>you will be responsible for the delinquent amount</u> and will be reimbursed if and when the insurance company makes payment.

We have no control over your contractual agreement with your insurance company. If your insurance company does not fulfill their obligation for any reason, the policyholder is responsible and must contact the insurance company to resolve the issue. Further payments later forwarded by your insurance company will be refunded to you if your account has been paid.

\*\*\*In summary, we will verify benefits and file claims only. Any other interactions or conflicts must be resolved by you, policyholder.\*\*\*

<mark>Initial</mark> :		

# Office Policies

### **Missed Appointments**

Appointments are scheduled based on something called "Doctor Time". This basically means that it has been determined, based on the type of appointment, how much time is required by the orthodontist and how much time is required by the orthodontic assistant to take care of the patient's needs. Even though each chair is filled, the orthodontist is never scheduled to be in two places at the same time. We are often asked if we can squeeze someone in, but this does not work because an unscheduled patient that is squeezed into the schedule will cause a traffic jam which would result in someone else waiting 15-30 minutes for their scheduled appointment.

For this reason, should you miss an appointment, unless we have an opening due to a cancellation, it could be as long as 4-5 weeks before another appointment will be available. If you need to be seen sooner than this, we can usually make arrangements to see you *during school hours* when we do not see as many patients. Also, should you leave our office without making an appointment, we may not have an opening during the time frame that the doctor wanted to see the patient. As you can see, missed appointments can result in prolonging the patient's treatment.

### **Tardiness**

Our office strives to see all of our patients at their appointed times. Sometimes, we fall behind for no obvious reasons. Sometimes a parent requires additional time for explanation or a patient requires additional tooth brushing instructions. You see, we try not to let anyone leave our office without knowing what has occurred during the visit and we also want to make sure that the patients are doing a proper job of taking care of their teeth. We have worked these circumstances into our schedule so that the schedule can stay fairly close to being on time.

Should a patient be scheduled for a 3:00 appointment and not arrive until 3:15 or later, it may not be possible to see them. Our appointments are scheduled on 15 and 30 minute intervals and seeing this patient would mean that someone else that has arrived on time could not be seen at their appointed time. If seeing the late patient results in other patients being seen late, we will ask that the appointment be rescheduled. Of course, if there is any possibility of seeing the patient, we will. We do not want to inconvenience anyone. If you think that you are going to be late, give us a call and we will see what we can do for you.

### **Broken Brackets**

Broken appliances are a part of orthodontic treatment. It goes with the territory. Sometimes the patient has received trauma to the mouth or maybe they just decided that it would not hurt to cheat a little on the "No Eats List". The average patient will break one bracket during their course of treatment. Sometimes brackets will come loose while the patient is just sitting around, but this only happens if the brace has already been somewhat loosened at an earlier date but did not fully break free from the tooth.

We understand and do not get upset about it. But, we do want you to know that broken brackets will result in a delay in treatment. We also want you to know that any appointment that involves the placement of braces <u>must be</u> <u>done during school hours</u>. This is a long appointment which cannot be done before or after school, since everyone wants to be seen at this time. <u>ALL</u> patients will be required to rotate the afternoon appointments after school or work, allowing all patients the opportunity to periodically take advantage of these times.

<u>INITIAL</u>

Also, we let the patients know that the first 5 broken braces (5 times the normal breakage) are on us. After that, there will be a \$50.00 charge for each additional broken bracket. We will let them know each time a bracket or band is broken and how many more freebies they have before <u>THEY</u> have to pay for the appointment. Broken brackets are also the number one reason we fall behind in our schedule so please call ahead to let us know if one of your brackets is broken so we can work the repair into our schedule.

### **Dental Visits and Cleanings**

Our office will not be checking for cavities during the patient's visit to our office unless it is very obvious without the use of x-rays. This is why it is important that the patient see their dentist every 4-6 months for cleanings and check-ups.

Some dental offices ask that the patients present to their office with the orthodontic wires removed so that the hygienist can do a better job of working around the braces. Some offices have special equipment that does not require that the wires be removed. If your dentist requests that the wires be removed, we will need to make arrangements with you for the patient to be seen in our office before and after the cleaning appointment.

We will try to make it as convenient for you as we possibly can. Also, we need to know at least 6 weeks in advance so that we can coordinate and schedule the appropriate appointments.

# FAQs

### How Long Will My Teeth Be Sore?

Expect the teeth to be somewhat tender the first few days after your braces are adjusted. Take what you normally take for a headache or pain relief. The teeth will not bother you unless you try to eat with them but they will not bother you while you are doing other things. The sooner you start chewing the faster you will adjust. Try not to baby the teeth.

### More Fluoride?!

You will need to use a fluoride rinse EVERY night. We know that you probably have fluoride in your toothpaste but this is different. This will protect your mouth at night while you are sleeping. It is very important and will help to avoid the white spots that can form on your teeth if they are not brushed properly. This helps if you are following our diet and stay away from soft drinks, which are very acidic and full of sugar. Remember, they are your teeth, please take care of them. When your fluoride rinse runs out you can buy Act Rinse or Colgate Phos-Flur.

### Will The Inside of My Lips Be Sore Forever?

Expect, from time to time, that your cheeks and lips may become irritated. You will eventually build up a callous. If an ulcer forms, use the wax that we gave you and place it over the braces that seem to be causing the problem. The wax will stay in place even while eating if you make sure that the area is dry before putting the wax in place. Pull off a small piece, roll it up in a little ball and stick it over the braces.

### Do I Still Have To See My Dentist For Cleanings and Check-ups?

YES, YES. Please continue to see your dentist for regularly scheduled cleanings. We would like to see you go at least every six months to stay on top of things. **This is very important**. If your dentist prefers, we would also like to coordinate your cleaning appointment with an orthodontic visit so that we can remove your wires for the cleanings. This makes the hygienist's job quite a bit easier. If you schedule a cleaning appointment, please let us know well in advance (at least 6 weeks) so that we can coordinate appointments with both offices. Thanks!

### Why Did I Get This Space Between My Front Teeth?

Sometimes things look worse before they will look better. The teeth will move in different directions as the teeth are straightening out. You may see a space between your two front teeth that was never there before or teeth that seemed perfectly straight before the braces were placed may not seem as straight. Please be patient and things will start to improve. That space will close and those teeth will line up, I promise. In order to straighten the worst of the teeth, the straighter teeth may be pulled out of alignment but eventually they all work together to give you that great smile we are all working towards.

### I Was Only Eating Mashed Potatoes When The Brace Broke Off!

Sometimes braces do not break off immediately after they are loosened. Sometimes that hard candy, bagel, or pizza crust weakens the glue but not enough for it to come off. The next thing you know the bracket pops off while you're sitting in class or eating white bread. The important thing is that you call us ASAP to let us know (not necessary on the weekends, ha, ha). The brace does not necessarily have to be replaced right away but we want to know about it, even if you leave a message on the recorder. If you wait until the day of your appointment to tell us you have a brace off, we may not be able to fix it. If we know ahead of time we can make arrangements.

### My Teeth Are Loose, Is This Okay, Are They Going To Fall Out?

Yes, this is all right so do not worry about them falling out, unless it is a baby tooth of course. We want them to get loose so that we can move them around. If they get too loose we will let you know but this is rare. Most people notice this after they have been hit with an elbow, basketball or some form of trauma to the mouth. By the way, no charge for the extraction should a permanent tooth fall out (just kidding).

### How Much Longer Will The Braces Be On?

Remember, the time we told you is a rough estimate. It could take a little longer or it may not take as long. A lot of what happens depends on you. If you do not wear the elastics, plan on adding time. If you like to chew gum, plan on adding time. If you miss some appointments, plan on adding time. If you continuously break braces, plan on adding time. If you go away for the summer, plan on adding time. Even if all goes smoothly, it could take awhile longer. No two people have teeth that move the same way and we do not want to rush the final result. Asking at each visit, "How much longer" will not help you get your braces off any earlier. But, no one can blame you for trying! Downside to asking at every visit, your orthodontist could lose his mind which could add time (just kidding, or am I?). Good luck!

# The Official NO EATS List

<u>Gum</u>	
Bubbleyum	
<b>Bubble gum</b>	
Trident	
Freedent	

<i>Taffy</i>
<b>Laffy Taffy</b>
Airheads
Starbursts
JuJu Beads
<b>Gummy bears</b>
<b>Now and Later</b>
Jellybeans
Licorice
Rocks
<b>Gummy savers</b>

# Caramels Kraft caramels Caramel Apples Tootsie Rolls Raisins Sugar Daddies Marathon Bars Snickers Milk Duds

# Hard Things Ice Pens and Pencils Whole apples Whole carrots Celery Stalks Popcorn seeds Hard pretzels Hard taco shells Nuts of all kinds Hard bagels Pizza crust (edges)

In addition to all of the above comes the group called **SWEETS.** Sweets can be eaten but it is very important that you brush or rinse your mouth *immediately* after eating them. The sweets will not cause damage to your braces but they will cause damage to your teeth. This is how you get those white spots on your teeth while wearing braces. The worst of all the sweets are the soft drinks (Coke, Pepsi, etc.). It does not matter if the soft drink is diet or not, it will have the same effect on your teeth. We ask that you *please* try to *stay away from soft drinks during your treatment*.

Should you have a brace come loose before an appointment, **please call the same day that you find out that it is broken**. We are not going to be upset with you but we do want to make sure that we have enough time to fix it during your regularly scheduled appointment. Some broken brackets can wait to be fixed while others need to be repaired as soon as possible.

The last thing that we would like you to know is that when you **bend your wires or knock a brace loose** you run the risk of making your **treatment take longer**. If you **chew gum** before Dr. McKinney tells you that it is permitted, you may dislodge your initial wires, which are very flimsy, which means the **treatment will take longer**. If you cheat, you will only be cheating yourself in the end. Just remember these things from the start and you should finish your treatment on time.

We all want this to be a positive experience for you and we want to get the job done as quickly as we possibly can. This will only happen with your cooperation. Let's work together to give you the best possible smile in the shortest period of time.

WE ARE VERY HAPPY THAT YOU HAVE CHOSEN US TO ASSIST YOU IN CREATING A FANTASTIC SMILE!

# Help us teach and learn!

For some cases, it is useful to display case results, in the form of photographs and/or dental
radiographs (x-rays). Please sign below to authorize Dr. Jeremy McKinney to display these case
results at scientific meetings and reviews, or on the McKinney Ortho website and reception area.

<mark>Responsible Party Signature</mark> :_	Date:



### **CLEAR ALIGNER THERAPY INFORMED CONSENT**

### **Benefits**

- Clear aligners offer an esthetic alternative to conventional braces for tooth movement.
- Aligners are nearly invisible so many people won't realize you are in treatment.
- Aligners allow for normal brushing and flossing tasks that are generally impaired by conventional braces.
- Aligners do not have the metal wires or brackets associated with conventional braces.

### Risks and Inconveniences

Like other orthodontic treatments, the use of clear aligner products may involve some of the risks outlined below:

- Clear aligners are capable of producing minor to moderate movement of the teeth. They are not designed to correct major bite problems or close large spaces.
- Failure to wear the appliances for the required number of hours per day (22 hours), not using the products and/or not using elastics as directed by your doctor, missing appointments, and atypically shaped teeth can lengthen the treatment time and affect the ability to achieve the desired results.
- Failure to wear the appliances as prescribed may also allow dental relapse or other unwanted movements that
  require a rescan and restarting the process, which can lead to increased treatment time and additional costs.
  DO NOT stop wearing aligners until speaking with Dr. McKinney.
- Dental tenderness may be experienced after switching to the next aligner in the series;
- Gums, cheeks and lips may be scratched or irritated.
- Teeth may shift position after treatment. Faithful retainer wear at the end of treatment should reduce this issue.
- Tooth decay, periodontal disease, inflammation of the gums or permanent markings (e.g. decalcification) may occur if
  patients consume foods or beverages containing sugar, do not brush and floss their teeth properly before wearing the
  clear aligner, or do not use proper oral hygiene and preventative maintenance.
- The aligners may temporarily affect speech and may result in a lisp, although any speech impediment caused by the clear aligner should disappear within one or two weeks.
- Aligners may cause a temporary increase in salivation or mouth dryness, certain medications may exacerbate.
- Teeth may require interproximal reduction (or slenderizing) to create space to allow tooth movement.
- General medical conditions and use of medications can affect orthodontic treatment.
- Health of the bone and gums which support the teeth may be impaired or aggravated.
- A tooth that has been previously traumatized, or significantly restored may be aggravated. In rare instances the useful life of the tooth may be reduced, the tooth may require additional dental treatment such as endodontic and/or additional restorative work and the tooth may be lost.
- Existing dental restorations (e.g. crowns) may become dislodged and require re-cementation or in some instances, replacement.
- NEVER eat or drink (other than water)with aligners inserted. Severe damage and decay will occur.
- Aligner breakage has a higher probability in cases with multiple missing teeth.
- In rare instances, problems may also occur in the jaw joint, causing joint pain, headaches or ear problems.
- Allergic reactions may occur.
- Teeth that are not at least partially covered by the aligner may move in an unplanned way.
- You will have attachments on your teeth (tooth colored bumps) to aid in tooth movement. These will be removed at the end of treatment.

\*Switching to conventional braces or needing to make new appliances due to non compliance will incur additional costs.

Patient/ Legal Guardian	Date:
PRINT name	
Doctor /Witness	Date: