



BARGE "PTC 2001"

INNAGE TRIM TABLE (HERMETIC)

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8
1 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8
2 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4
2 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4
3 PORT	- 00-5/8	00-5/8	- 01-1/8	01-1/8	- 01-3/4	01-3/4	- 02-1/4	02-1/4	- 02-7/8	02-7/8	- 03-1/2	03-1/2
3 STBD	- 00-5/8	00-5/8	- 01-1/8	01-1/8	- 01-3/4	01-3/4	- 02-1/4	02-1/4	- 02-7/8	02-7/8	- 03-4/8	03-4/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 253'-09"

September 16, 2020

**PRECISION MEASUREMENT
& ANALYSIS, INC.**

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>





BARGE "PTC 2001"

**1 PORT
INNAGE TABLE
HERMETIC
GAUGE HEIGHT 15'-08 1/2"**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,613.54	0	3,976.10	0	4,338.40	0	4,688.59	0	5,021.96	0		0		0		0		0	
1/4	3,621.10	1/4	3,983.65	1/4	4,345.87	1/4	4,695.67	1/4	5,029.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,628.65	1/2	3,991.20	1/2	4,353.35	1/2	4,702.76	1/2	5,036.87	1/2		1/2		1/2		1/2		1/2	
3/4	3,636.20	3/4	3,998.76	3/4	4,360.82	3/4	4,709.84	3/4	5,044.32	3/4		3/4		3/4		3/4		3/4	
1	3,643.75	1	4,006.31	1	4,368.29	1	4,716.93	1	5,051.78	1		1		1		1		1	
1/4	3,651.31	1/4	4,013.86	1/4	4,375.73	1/4	4,723.95	1/4	5,059.23	1/4		1/4		1/4		1/4		1/4	
1/2	3,658.86	1/2	4,021.41	1/2	4,383.17	1/2	4,730.98	1/2	5,066.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,666.41	3/4	4,028.97	3/4	4,390.61	3/4	4,738.00	3/4	5,074.14	3/4		3/4		3/4		3/4		3/4	
2	3,673.97	2	4,036.52	2	4,398.05	2	4,745.03	2	5,081.60	2		2		2		2		2	
1/4	3,681.52	1/4	4,044.07	1/4	4,405.46	1/4	4,752.02	1/4	5,089.05	1/4		1/4		1/4		1/4		1/4	
1/2	3,689.07	1/2	4,051.63	1/2	4,412.87	1/2	4,759.01	1/2	5,096.51	1/2		1/2		1/2		1/2		1/2	
3/4	3,696.63	3/4	4,059.18	3/4	4,420.28	3/4	4,766.01	3/4	5,103.96	3/4		3/4		3/4		3/4		3/4	
3	3,704.18	3	4,066.73	3	4,427.69	3	4,773.00	3	5,111.42	3		3		3		3		3	
1/4	3,711.73	1/4	4,074.29	1/4	4,435.06	1/4	4,779.96	1/4	5,118.87	1/4		1/4		1/4		1/4		1/4	
1/2	3,719.29	1/2	4,081.84	1/2	4,442.44	1/2	4,786.92	1/2	5,126.33	1/2		1/2		1/2		1/2		1/2	
3/4	3,726.84	3/4	4,089.39	3/4	4,449.81	3/4	4,793.88	3/4	5,133.78	3/4		3/4		3/4		3/4		3/4	
4	3,734.39	4	4,096.95	4	4,457.19	4	4,800.84	4	5,141.24	4		4		4		4		4	
1/4	3,741.95	1/4	4,104.50	1/4	4,464.53	1/4	4,807.77	1/4	5,148.69	1/4		1/4		1/4		1/4		1/4	
1/2	3,749.50	1/2	4,112.05	1/2	4,471.88	1/2	4,814.70	1/2	5,156.15	1/2		1/2		1/2		1/2		1/2	
3/4	3,757.05	3/4	4,119.61	3/4	4,479.22	3/4	4,821.62	3/4	5,163.60	3/4		3/4		3/4		3/4		3/4	
5	3,764.61	5	4,127.16	5	4,486.57	5	4,828.55	5	5,171.06	5		5		5		5		5	
1/4	3,772.16	1/4	4,134.71	1/4	4,493.88	1/4	4,835.45	1/4	5,178.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,779.71	1/2	4,142.27	1/2	4,501.19	1/2	4,842.34	1/2	5,185.97	1/2		1/2		1/2		1/2		1/2	
3/4	3,787.27	3/4	4,149.82	3/4	4,508.50	3/4	4,849.24	3/4	5,193.42	3/4		3/4		3/4		3/4		3/4	
6	3,794.82	6	4,157.37	6	4,515.81	6	4,856.14	6	5,200.88	6		6		6		6		6	
1/4	3,802.37	1/4	4,164.93	1/4	4,523.09	1/4	4,863.00	1/4	5,207.07	1/4		1/4		1/4		1/4		1/4	
1/2	3,809.93	1/2	4,172.48	1/2	4,530.37	1/2	4,869.86	1/2	5,213.27	1/2		1/2		1/2		1/2		1/2	
3/4	3,817.48	3/4	4,180.03	3/4	4,537.65	3/4	4,876.73	3/4	5,219.46	3/4		3/4		3/4		3/4		3/4	
7	3,825.03	7	4,187.59	7	4,544.93	7	4,883.59	7	5,225.66	7		7		7		7		7	
1/4	3,832.58	1/4	4,195.14	1/4	4,552.18	1/4	4,890.42	1/4	5,230.62	1/4		1/4		1/4		1/4		1/4	
1/2	3,840.14	1/2	4,202.69	1/2	4,559.43	1/2	4,897.25	1/2	5,235.59	1/2		1/2		1/2		1/2		1/2	
3/4	3,847.69	3/4	4,210.24	3/4	4,566.67	3/4	4,904.09	3/4	5,240.55	3/4		3/4		3/4		3/4		3/4	
8	3,855.24	8	4,217.80	8	4,573.92	8	4,910.92	8	5,245.52	8		8		8		8		8	
1/4	3,862.80	1/4	4,225.35	1/4	4,581.13	1/4	4,917.72	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,870.35	1/2	4,232.90	1/2	4,588.35	1/2	4,924.52	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,877.90	3/4	4,240.46	3/4	4,595.56	3/4	4,931.31	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,885.46	9	4,248.01	9	4,602.78	9	4,938.11	9		9		9		9		9		9	
1/4	3,893.01	1/4	4,255.56	1/4	4,609.96	1/4	4,944.88	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,900.56	1/2	4,263.12	1/2	4,617.14	1/2	4,951.65	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,908.12	3/4	4,270.67	3/4	4,624.33	3/4	4,958.42	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,915.67	10	4,278.22	10	4,631.51	10	4,965.19	10		10		10		10		10		10	
1/4	3,923.22	1/4	4,285.76	1/4	4,638.66	1/4	4,971.93	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,930.78	1/2	4,293.30	1/2	4,645.81	1/2	4,978.67	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,938.33	3/4	4,300.84	3/4	4,652.96	3/4	4,985.40	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,945.88	11	4,308.38	11	4,660.11	11	4,992.14	11		11		11		11		11		11	
1/4	3,953.44	1/4	4,315.89	1/4	4,667.23	1/4	4,999.59	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,960.99	1/2	4,323.39	1/2	4,674.35	1/2	5,007.05	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,968.54	3/4	4,330.90	3/4	4,681.47	3/4	5,014.50	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/15/2020 JS
CALCULATED: 09/16/2020 CL
PRINTED: 09/16/2020 CL

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2020



BARGE "PTC 2001"

**1 STBD
INNAGE TABLE
HERMETIC
GAUGE HEIGHT 15'-08 1/2"**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,614.26	0	3,977.08	0	4,339.63	0	4,690.08	0	5,023.71	0		0		0		0		0	
1/4	3,621.82	1/4	3,984.63	1/4	4,347.11	1/4	4,697.17	1/4	5,031.17	1/4		1/4		1/4		1/4		1/4	
1/2	3,629.38	1/2	3,992.19	1/2	4,354.59	1/2	4,704.26	1/2	5,038.63	1/2		1/2		1/2		1/2		1/2	
3/4	3,636.93	3/4	3,999.75	3/4	4,362.07	3/4	4,711.35	3/4	5,046.09	3/4		3/4		3/4		3/4		3/4	
1	3,644.49	1	4,007.31	1	4,369.54	1	4,718.44	1	5,053.55	1		1		1		1		1	
1/4	3,652.05	1/4	4,014.87	1/4	4,376.99	1/4	4,725.47	1/4	5,061.01	1/4		1/4		1/4		1/4		1/4	
1/2	3,659.61	1/2	4,022.43	1/2	4,384.44	1/2	4,732.50	1/2	5,068.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,667.17	3/4	4,029.99	3/4	4,391.88	3/4	4,739.53	3/4	5,075.93	3/4		3/4		3/4		3/4		3/4	
2	3,674.73	2	4,037.55	2	4,399.33	2	4,746.56	2	5,083.39	2		2		2		2		2	
1/4	3,682.29	1/4	4,045.10	1/4	4,406.74	1/4	4,753.56	1/4	5,090.85	1/4		1/4		1/4		1/4		1/4	
1/2	3,689.85	1/2	4,052.66	1/2	4,414.15	1/2	4,760.56	1/2	5,098.31	1/2		1/2		1/2		1/2		1/2	
3/4	3,697.40	3/4	4,060.22	3/4	4,421.57	3/4	4,767.56	3/4	5,105.78	3/4		3/4		3/4		3/4		3/4	
3	3,704.96	3	4,067.78	3	4,428.98	3	4,774.55	3	5,113.24	3		3		3		3		3	
1/4	3,712.52	1/4	4,075.34	1/4	4,436.36	1/4	4,781.52	1/4	5,120.70	1/4		1/4		1/4		1/4		1/4	
1/2	3,720.08	1/2	4,082.90	1/2	4,443.75	1/2	4,788.49	1/2	5,128.16	1/2		1/2		1/2		1/2		1/2	
3/4	3,727.64	3/4	4,090.46	3/4	4,451.13	3/4	4,795.45	3/4	5,135.62	3/4		3/4		3/4		3/4		3/4	
4	3,735.20	4	4,098.02	4	4,458.51	4	4,802.42	4	5,143.08	4		4		4		4		4	
1/4	3,742.76	1/4	4,105.57	1/4	4,465.86	1/4	4,809.35	1/4	5,150.54	1/4		1/4		1/4		1/4		1/4	
1/2	3,750.31	1/2	4,113.13	1/2	4,473.21	1/2	4,816.28	1/2	5,158.00	1/2		1/2		1/2		1/2		1/2	
3/4	3,757.87	3/4	4,120.69	3/4	4,480.56	3/4	4,823.22	3/4	5,165.46	3/4		3/4		3/4		3/4		3/4	
5	3,765.43	5	4,128.25	5	4,487.91	5	4,830.15	5	5,172.92	5		5		5		5		5	
1/4	3,772.99	1/4	4,135.81	1/4	4,495.22	1/4	4,837.05	1/4	5,180.38	1/4		1/4		1/4		1/4		1/4	
1/2	3,780.55	1/2	4,143.37	1/2	4,502.54	1/2	4,843.95	1/2	5,187.84	1/2		1/2		1/2		1/2		1/2	
3/4	3,788.11	3/4	4,150.93	3/4	4,509.86	3/4	4,850.86	3/4	5,195.30	3/4		3/4		3/4		3/4		3/4	
6	3,795.67	6	4,158.48	6	4,517.17	6	4,857.76	6	5,202.76	6		6		6		6		6	
1/4	3,803.23	1/4	4,166.04	1/4	4,524.46	1/4	4,864.63	1/4	5,208.96	1/4		1/4		1/4		1/4		1/4	
1/2	3,810.78	1/2	4,173.60	1/2	4,531.74	1/2	4,871.50	1/2	5,215.16	1/2		1/2		1/2		1/2		1/2	
3/4	3,818.34	3/4	4,181.16	3/4	4,539.03	3/4	4,878.36	3/4	5,221.37	3/4		3/4		3/4		3/4		3/4	
7	3,825.90	7	4,188.72	7	4,546.31	7	4,885.23	7	5,227.57	7		7		7		7		7	
1/4	3,833.46	1/4	4,196.28	1/4	4,553.57	1/4	4,892.07	1/4	5,232.54	1/4		1/4		1/4		1/4		1/4	
1/2	3,841.02	1/2	4,203.84	1/2	4,560.82	1/2	4,898.91	1/2	5,237.51	1/2		1/2		1/2		1/2		1/2	
3/4	3,848.58	3/4	4,211.40	3/4	4,568.07	3/4	4,905.74	3/4	5,242.47	3/4		3/4		3/4		3/4		3/4	
8	3,856.14	8	4,218.95	8	4,575.32	8	4,912.58	8	5,247.44	8		8		8		8		8	
1/4	3,863.70	1/4	4,226.51	1/4	4,582.54	1/4	4,919.39	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,871.25	1/2	4,234.07	1/2	4,589.76	1/2	4,926.19	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,878.81	3/4	4,241.63	3/4	4,596.98	3/4	4,932.99	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,886.37	9	4,249.19	9	4,604.20	9	4,939.80	9		9		9		9		9		9	
1/4	3,893.93	1/4	4,256.75	1/4	4,611.39	1/4	4,946.57	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,901.49	1/2	4,264.31	1/2	4,618.58	1/2	4,953.35	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,909.05	3/4	4,271.87	3/4	4,625.77	3/4	4,960.12	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,916.61	10	4,279.42	10	4,632.96	10	4,966.90	10		10		10		10		10		10	
1/4	3,924.16	1/4	4,286.97	1/4	4,640.11	1/4	4,973.64	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,931.72	1/2	4,294.51	1/2	4,647.27	1/2	4,980.38	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,939.28	3/4	4,302.05	3/4	4,654.43	3/4	4,987.13	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,946.84	11	4,309.59	11	4,661.58	11	4,993.87	11		11		11		11		11		11	
1/4	3,954.40	1/4	4,317.10	1/4	4,668.71	1/4	5,001.33	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,961.96	1/2	4,324.61	1/2	4,675.83	1/2	5,008.79	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,969.52	3/4	4,332.12	3/4	4,682.95	3/4	5,016.25	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/15/2020 JS
CALCULATED: 09/16/2020 CL
PRINTED: 09/16/2020 CL

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2020



BARGE "PTC 2001"

2 PORT INNAGE TABLE HERMETIC GAUGE HEIGHT 15'-08"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,600.18	0	3,961.40	0	4,322.36	0	4,671.24	0	5,003.35	0		0		0		0		0	
1/4	3,607.71	1/4	3,968.93	1/4	4,329.80	1/4	4,678.30	1/4	5,010.78	1/4		1/4		1/4		1/4		1/4	
1/2	3,615.23	1/2	3,976.45	1/2	4,337.25	1/2	4,685.35	1/2	5,018.20	1/2		1/2		1/2		1/2		1/2	
3/4	3,622.76	3/4	3,983.98	3/4	4,344.69	3/4	4,692.41	3/4	5,025.63	3/4		3/4		3/4		3/4		3/4	
1	3,630.28	1	3,991.50	1	4,352.14	1	4,699.47	1	5,033.06	1		1		1		1		1	
1/4	3,637.81	1/4	3,999.03	1/4	4,359.55	1/4	4,706.47	1/4	5,040.48	1/4		1/4		1/4		1/4		1/4	
1/2	3,645.33	1/2	4,006.55	1/2	4,366.96	1/2	4,713.47	1/2	5,047.91	1/2		1/2		1/2		1/2		1/2	
3/4	3,652.86	3/4	4,014.08	3/4	4,374.37	3/4	4,720.47	3/4	5,055.34	3/4		3/4		3/4		3/4		3/4	
2	3,660.39	2	4,021.60	2	4,381.79	2	4,727.47	2	5,062.77	2		2		2		2		2	
1/4	3,667.91	1/4	4,029.13	1/4	4,389.17	1/4	4,734.43	1/4	5,070.19	1/4		1/4		1/4		1/4		1/4	
1/2	3,675.44	1/2	4,036.66	1/2	4,396.55	1/2	4,741.40	1/2	5,077.62	1/2		1/2		1/2		1/2		1/2	
3/4	3,682.96	3/4	4,044.18	3/4	4,403.93	3/4	4,748.37	3/4	5,085.05	3/4		3/4		3/4		3/4		3/4	
3	3,690.49	3	4,051.71	3	4,411.31	3	4,755.33	3	5,092.47	3		3		3		3		3	
1/4	3,698.01	1/4	4,059.23	1/4	4,418.66	1/4	4,762.27	1/4	5,099.90	1/4		1/4		1/4		1/4		1/4	
1/2	3,705.54	1/2	4,066.76	1/2	4,426.01	1/2	4,769.20	1/2	5,107.33	1/2		1/2		1/2		1/2		1/2	
3/4	3,713.06	3/4	4,074.28	3/4	4,433.36	3/4	4,776.13	3/4	5,114.75	3/4		3/4		3/4		3/4		3/4	
4	3,720.59	4	4,081.81	4	4,440.71	4	4,783.07	4	5,122.18	4		4		4		4		4	
1/4	3,728.11	1/4	4,089.33	1/4	4,448.02	1/4	4,789.97	1/4	5,129.61	1/4		1/4		1/4		1/4		1/4	
1/2	3,735.64	1/2	4,096.86	1/2	4,455.34	1/2	4,796.87	1/2	5,137.04	1/2		1/2		1/2		1/2		1/2	
3/4	3,743.16	3/4	4,104.38	3/4	4,462.65	3/4	4,803.77	3/4	5,144.46	3/4		3/4		3/4		3/4		3/4	
5	3,750.69	5	4,111.91	5	4,469.97	5	4,810.68	5	5,151.89	5		5		5		5		5	
1/4	3,758.22	1/4	4,119.43	1/4	4,477.26	1/4	4,817.55	1/4	5,159.32	1/4		1/4		1/4		1/4		1/4	
1/2	3,765.74	1/2	4,126.96	1/2	4,484.54	1/2	4,824.41	1/2	5,166.74	1/2		1/2		1/2		1/2		1/2	
3/4	3,773.27	3/4	4,134.49	3/4	4,491.82	3/4	4,831.28	3/4	5,174.17	3/4		3/4		3/4		3/4		3/4	
6	3,780.79	6	4,142.01	6	4,499.11	6	4,838.15	6	5,181.60	6		6		6		6		6	
1/4	3,788.32	1/4	4,149.54	1/4	4,506.36	1/4	4,844.99	1/4	5,187.77	1/4		1/4		1/4		1/4		1/4	
1/2	3,795.84	1/2	4,157.06	1/2	4,513.61	1/2	4,851.83	1/2	5,193.95	1/2		1/2		1/2		1/2		1/2	
3/4	3,803.37	3/4	4,164.59	3/4	4,520.87	3/4	4,858.67	3/4	5,200.12	3/4		3/4		3/4		3/4		3/4	
7	3,810.89	7	4,172.11	7	4,528.12	7	4,865.50	7	5,206.30	7		7		7		7		7	
1/4	3,818.42	1/4	4,179.64	1/4	4,535.34	1/4	4,872.31	1/4	5,211.24	1/4		1/4		1/4		1/4		1/4	
1/2	3,825.94	1/2	4,187.16	1/2	4,542.56	1/2	4,879.12	1/2	5,216.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,833.47	3/4	4,194.69	3/4	4,549.78	3/4	4,885.92	3/4	5,221.14	3/4		3/4		3/4		3/4		3/4	
8	3,840.99	8	4,202.21	8	4,557.00	8	4,892.73	8	5,226.08	8		8		8		8		8	
1/4	3,848.52	1/4	4,209.74	1/4	4,564.19	1/4	4,899.50	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,856.05	1/2	4,217.26	1/2	4,571.37	1/2	4,906.27	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,863.57	3/4	4,224.79	3/4	4,578.56	3/4	4,913.05	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,871.10	9	4,232.32	9	4,585.75	9	4,919.82	9		9		9		9		9		9	
1/4	3,878.62	1/4	4,239.84	1/4	4,592.91	1/4	4,926.56	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,886.15	1/2	4,247.37	1/2	4,600.06	1/2	4,933.31	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,893.67	3/4	4,254.89	3/4	4,607.22	3/4	4,940.05	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,901.20	10	4,262.42	10	4,614.37	10	4,946.79	10		10		10		10		10		10	
1/4	3,908.72	1/4	4,269.92	1/4	4,621.50	1/4	4,953.51	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,916.25	1/2	4,277.43	1/2	4,628.62	1/2	4,960.22	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,923.77	3/4	4,284.94	3/4	4,635.75	3/4	4,966.93	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,931.30	11	4,292.45	11	4,642.87	11	4,973.64	11		11		11		11		11		11	
1/4	3,938.83	1/4	4,299.92	1/4	4,649.96	1/4	4,981.07	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,946.35	1/2	4,307.40	1/2	4,657.05	1/2	4,988.50	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,953.88	3/4	4,314.88	3/4	4,664.14	3/4	4,995.92	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/15/2020 JS
CALCULATED: 09/16/2020 CL
PRINTED: 09/16/2020 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2020



BARGE "PTC 2001"

2 STBD INNAGE TABLE HERMETIC

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-08 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,589.94	0	3,951.72	0	4,313.25	0	4,662.70	0	4,995.38	0		0		0		0		0	
1/4	3,597.47	1/4	3,959.25	1/4	4,320.71	1/4	4,669.77	1/4	5,002.82	1/4		1/4		1/4		1/4		1/4	
1/2	3,605.01	1/2	3,966.79	1/2	4,328.16	1/2	4,676.84	1/2	5,010.26	1/2		1/2		1/2		1/2		1/2	
3/4	3,612.55	3/4	3,974.33	3/4	4,335.62	3/4	4,683.91	3/4	5,017.69	3/4		3/4		3/4		3/4		3/4	
1	3,620.08	1	3,981.87	1	4,343.08	1	4,690.98	1	5,025.13	1		1		1		1		1	
1/4	3,627.62	1/4	3,989.40	1/4	4,350.50	1/4	4,697.99	1/4	5,032.57	1/4		1/4		1/4		1/4		1/4	
1/2	3,635.16	1/2	3,996.94	1/2	4,357.93	1/2	4,705.00	1/2	5,040.01	1/2		1/2		1/2		1/2		1/2	
3/4	3,642.70	3/4	4,004.48	3/4	4,365.35	3/4	4,712.01	3/4	5,047.45	3/4		3/4		3/4		3/4		3/4	
2	3,650.23	2	4,012.01	2	4,372.78	2	4,719.02	2	5,054.89	2		2		2		2		2	
1/4	3,657.77	1/4	4,019.55	1/4	4,380.17	1/4	4,726.00	1/4	5,062.33	1/4		1/4		1/4		1/4		1/4	
1/2	3,665.31	1/2	4,027.09	1/2	4,387.56	1/2	4,732.98	1/2	5,069.77	1/2		1/2		1/2		1/2		1/2	
3/4	3,672.84	3/4	4,034.63	3/4	4,394.95	3/4	4,739.96	3/4	5,077.21	3/4		3/4		3/4		3/4		3/4	
3	3,680.38	3	4,042.16	3	4,402.35	3	4,746.93	3	5,084.64	3		3		3		3		3	
1/4	3,687.92	1/4	4,049.70	1/4	4,409.71	1/4	4,753.88	1/4	5,092.08	1/4		1/4		1/4		1/4		1/4	
1/2	3,695.46	1/2	4,057.24	1/2	4,417.07	1/2	4,760.83	1/2	5,099.52	1/2		1/2		1/2		1/2		1/2	
3/4	3,702.99	3/4	4,064.77	3/4	4,424.43	3/4	4,767.77	3/4	5,106.96	3/4		3/4		3/4		3/4		3/4	
4	3,710.53	4	4,072.31	4	4,431.79	4	4,774.72	4	5,114.40	4		4		4		4		4	
1/4	3,718.07	1/4	4,079.85	1/4	4,439.12	1/4	4,781.63	1/4	5,121.84	1/4		1/4		1/4		1/4		1/4	
1/2	3,725.60	1/2	4,087.39	1/2	4,446.44	1/2	4,788.55	1/2	5,129.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,733.14	3/4	4,094.92	3/4	4,453.77	3/4	4,795.46	3/4	5,136.72	3/4		3/4		3/4		3/4		3/4	
5	3,740.68	5	4,102.46	5	4,461.10	5	4,802.37	5	5,144.16	5		5		5		5		5	
1/4	3,748.22	1/4	4,110.00	1/4	4,468.40	1/4	4,809.25	1/4	5,151.59	1/4		1/4		1/4		1/4		1/4	
1/2	3,755.75	1/2	4,117.53	1/2	4,475.69	1/2	4,816.14	1/2	5,159.03	1/2		1/2		1/2		1/2		1/2	
3/4	3,763.29	3/4	4,125.07	3/4	4,482.99	3/4	4,823.02	3/4	5,166.47	3/4		3/4		3/4		3/4		3/4	
6	3,770.83	6	4,132.61	6	4,490.29	6	4,829.90	6	5,173.91	6		6		6		6		6	
1/4	3,778.36	1/4	4,140.14	1/4	4,497.55	1/4	4,836.75	1/4	5,180.09	1/4		1/4		1/4		1/4		1/4	
1/2	3,785.90	1/2	4,147.68	1/2	4,504.81	1/2	4,843.60	1/2	5,186.27	1/2		1/2		1/2		1/2		1/2	
3/4	3,793.44	3/4	4,155.22	3/4	4,512.08	3/4	4,850.45	3/4	5,192.45	3/4		3/4		3/4		3/4		3/4	
7	3,800.98	7	4,162.76	7	4,519.34	7	4,857.30	7	5,198.64	7		7		7		7		7	
1/4	3,808.51	1/4	4,170.29	1/4	4,526.57	1/4	4,864.11	1/4	5,203.59	1/4		1/4		1/4		1/4		1/4	
1/2	3,816.05	1/2	4,177.83	1/2	4,533.81	1/2	4,870.93	1/2	5,208.54	1/2		1/2		1/2		1/2		1/2	
3/4	3,823.59	3/4	4,185.37	3/4	4,541.04	3/4	4,877.75	3/4	5,213.50	3/4		3/4		3/4		3/4		3/4	
8	3,831.12	8	4,192.90	8	4,548.27	8	4,884.57	8	5,218.45	8		8		8		8		8	
1/4	3,838.66	1/4	4,200.44	1/4	4,555.47	1/4	4,891.35	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,846.20	1/2	4,207.98	1/2	4,562.67	1/2	4,898.14	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,853.74	3/4	4,215.52	3/4	4,569.87	3/4	4,904.92	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,861.27	9	4,223.05	9	4,577.07	9	4,911.71	9		9		9		9		9		9	
1/4	3,868.81	1/4	4,230.59	1/4	4,584.24	1/4	4,918.46	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,876.35	1/2	4,238.13	1/2	4,591.41	1/2	4,925.22	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,883.88	3/4	4,245.66	3/4	4,598.57	3/4	4,931.97	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,891.42	10	4,253.20	10	4,605.74	10	4,938.73	10		10		10		10		10		10	
1/4	3,898.96	1/4	4,260.72	1/4	4,612.88	1/4	4,945.45	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,906.49	1/2	4,268.25	1/2	4,620.01	1/2	4,952.18	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,914.03	3/4	4,275.77	3/4	4,627.15	3/4	4,958.90	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,921.57	11	4,283.29	11	4,634.28	11	4,965.62	11		11		11		11		11		11	
1/4	3,929.11	1/4	4,290.78	1/4	4,641.39	1/4	4,973.06	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,936.64	1/2	4,298.27	1/2	4,648.49	1/2	4,980.50	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,944.18	3/4	4,305.76	3/4	4,655.59	3/4	4,987.94	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/15/2020 JS
CALCULATED: 09/16/2020 CL
PRINTED: 09/16/2020 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2020



BARGE "PTC 2001"

3 PORT INNAGE TABLE HERMETIC GAUGE HEIGHT 15'-08 1/8"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,544.30	0	3,737.35	0	3,930.14	0	4,110.90	0	4,275.69	0		0		0		0		0	
1/4	3,548.33	1/4	3,741.37	1/4	3,934.08	1/4	4,114.45	1/4	4,279.66	1/4		1/4		1/4		1/4		1/4	
1/2	3,552.35	1/2	3,745.39	1/2	3,938.02	1/2	4,118.01	1/2	4,283.62	1/2		1/2		1/2		1/2		1/2	
3/4	3,556.37	3/4	3,749.42	3/4	3,941.97	3/4	4,121.57	3/4	4,287.59	3/4		3/4		3/4		3/4		3/4	
1	3,560.39	1	3,753.44	1	3,945.91	1	4,125.13	1	4,291.56	1		1		1		1		1	
1/4	3,564.41	1/4	3,757.46	1/4	3,949.82	1/4	4,128.64	1/4	4,295.53	1/4		1/4		1/4		1/4		1/4	
1/2	3,568.44	1/2	3,761.48	1/2	3,953.73	1/2	4,132.15	1/2	4,299.50	1/2		1/2		1/2		1/2		1/2	
3/4	3,572.46	3/4	3,765.50	3/4	3,957.64	3/4	4,135.66	3/4	4,303.47	3/4		3/4		3/4		3/4		3/4	
2	3,576.48	2	3,769.53	2	3,961.55	2	4,139.17	2	4,307.44	2		2		2		2		2	
1/4	3,580.50	1/4	3,773.55	1/4	3,965.42	1/4	4,142.65	1/4	4,311.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,584.52	1/2	3,777.57	1/2	3,969.30	1/2	4,146.13	1/2	4,315.37	1/2		1/2		1/2		1/2		1/2	
3/4	3,588.54	3/4	3,781.59	3/4	3,973.18	3/4	4,149.61	3/4	4,319.34	3/4		3/4		3/4		3/4		3/4	
3	3,592.57	3	3,785.61	3	3,977.06	3	4,153.09	3	4,323.31	3		3		3		3		3	
1/4	3,596.59	1/4	3,789.63	1/4	3,980.90	1/4	4,156.53	1/4	4,327.28	1/4		1/4		1/4		1/4		1/4	
1/2	3,600.61	1/2	3,793.66	1/2	3,984.75	1/2	4,159.98	1/2	4,331.25	1/2		1/2		1/2		1/2		1/2	
3/4	3,604.63	3/4	3,797.68	3/4	3,988.59	3/4	4,163.43	3/4	4,335.22	3/4		3/4		3/4		3/4		3/4	
4	3,608.65	4	3,801.70	4	3,992.44	4	4,166.88	4	4,339.19	4		4		4		4		4	
1/4	3,612.68	1/4	3,805.72	1/4	3,996.25	1/4	4,170.29	1/4	4,343.16	1/4		1/4		1/4		1/4		1/4	
1/2	3,616.70	1/2	3,809.74	1/2	4,000.07	1/2	4,173.71	1/2	4,347.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,620.72	3/4	3,813.77	3/4	4,003.88	3/4	4,177.12	3/4	4,351.09	3/4		3/4		3/4		3/4		3/4	
5	3,624.74	5	3,817.79	5	4,007.69	5	4,180.54	5	4,355.06	5		5		5		5		5	
1/4	3,628.76	1/4	3,821.81	1/4	4,011.48	1/4	4,183.92	1/4	4,359.03	1/4		1/4		1/4		1/4		1/4	
1/2	3,632.78	1/2	3,825.83	1/2	4,015.26	1/2	4,187.30	1/2	4,363.00	1/2		1/2		1/2		1/2		1/2	
3/4	3,636.81	3/4	3,829.85	3/4	4,019.04	3/4	4,190.69	3/4	4,366.97	3/4		3/4		3/4		3/4		3/4	
6	3,640.83	6	3,833.87	6	4,022.82	6	4,194.07	6	4,370.94	6		6		6		6		6	
1/4	3,644.85	1/4	3,837.90	1/4	4,026.57	1/4	4,197.42	1/4	4,373.66	1/4		1/4		1/4		1/4		1/4	
1/2	3,648.87	1/2	3,841.92	1/2	4,030.32	1/2	4,200.77	1/2	4,376.38	1/2		1/2		1/2		1/2		1/2	
3/4	3,652.89	3/4	3,845.94	3/4	4,034.07	3/4	4,204.12	3/4	4,379.10	3/4		3/4		3/4		3/4		3/4	
7	3,656.91	7	3,849.96	7	4,037.82	7	4,207.47	7	4,381.82	7		7		7		7		7	
1/4	3,660.94	1/4	3,853.98	1/4	4,041.54	1/4	4,210.79	1/4	4,383.31	1/4		1/4		1/4		1/4		1/4	
1/2	3,664.96	1/2	3,858.00	1/2	4,045.26	1/2	4,214.11	1/2	4,384.79	1/2		1/2		1/2		1/2		1/2	
3/4	3,668.98	3/4	3,862.03	3/4	4,048.97	3/4	4,217.43	3/4	4,386.27	3/4		3/4		3/4		3/4		3/4	
8	3,673.00	8	3,866.05	8	4,052.69	8	4,220.75	8	4,387.76	8		8		8		8		8	
1/4	3,677.02	1/4	3,870.07	1/4	4,056.38	1/4	4,224.04	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,681.05	1/2	3,874.09	1/2	4,060.06	1/2	4,227.33	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,685.07	3/4	3,878.11	3/4	4,063.75	3/4	4,230.61	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,689.09	9	3,882.14	9	4,067.43	9	4,233.90	9		9		9		9		9		9	
1/4	3,693.11	1/4	3,886.16	1/4	4,071.09	1/4	4,237.15	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,697.13	1/2	3,890.18	1/2	4,074.74	1/2	4,240.41	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,701.15	3/4	3,894.20	3/4	4,078.40	3/4	4,243.66	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,705.18	10	3,898.22	10	4,082.05	10	4,246.92	10		10		10		10		10		10	
1/4	3,709.20	1/4	3,902.23	1/4	4,085.67	1/4	4,250.14	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,713.22	1/2	3,906.23	1/2	4,089.29	1/2	4,253.37	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,717.24	3/4	3,910.24	3/4	4,092.91	3/4	4,256.59	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,721.26	11	3,914.24	11	4,096.54	11	4,259.81	11		11		11		11		11		11	
1/4	3,725.29	1/4	3,918.22	1/4	4,100.13	1/4	4,263.78	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,729.31	1/2	3,922.19	1/2	4,103.72	1/2	4,267.75	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,733.33	3/4	3,926.17	3/4	4,107.31	3/4	4,271.72	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/15/2020 JS
CALCULATED: 09/16/2020 CL
PRINTED: 09/16/2020 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2020



BARGE "PTC 2001"

3 STBD INNAGE TABLE HERMETIC

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-08 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,520.32	0	3,712.77	0	3,904.96	0	4,085.11	0	4,249.31	0		0		0		0		0	
1/4	3,524.33	1/4	3,716.78	1/4	3,908.89	1/4	4,088.66	1/4	4,253.26	1/4		1/4		1/4		1/4		1/4	
1/2	3,528.34	1/2	3,720.79	1/2	3,912.82	1/2	4,092.20	1/2	4,257.22	1/2		1/2		1/2		1/2		1/2	
3/4	3,532.35	3/4	3,724.80	3/4	3,916.74	3/4	4,095.75	3/4	4,261.18	3/4		3/4		3/4		3/4		3/4	
1	3,536.36	1	3,728.80	1	3,920.67	1	4,099.29	1	4,265.13	1		1		1		1		1	
1/4	3,540.37	1/4	3,732.81	1/4	3,924.57	1/4	4,102.79	1/4	4,269.09	1/4		1/4		1/4		1/4		1/4	
1/2	3,544.38	1/2	3,736.82	1/2	3,928.47	1/2	4,106.29	1/2	4,273.04	1/2		1/2		1/2		1/2		1/2	
3/4	3,548.39	3/4	3,740.83	3/4	3,932.37	3/4	4,109.79	3/4	4,277.00	3/4		3/4		3/4		3/4		3/4	
2	3,552.40	2	3,744.84	2	3,936.26	2	4,113.29	2	4,280.96	2		2		2		2		2	
1/4	3,556.40	1/4	3,748.85	1/4	3,940.13	1/4	4,116.76	1/4	4,284.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,560.41	1/2	3,752.86	1/2	3,943.99	1/2	4,120.22	1/2	4,288.87	1/2		1/2		1/2		1/2		1/2	
3/4	3,564.42	3/4	3,756.87	3/4	3,947.86	3/4	4,123.69	3/4	4,292.83	3/4		3/4		3/4		3/4		3/4	
3	3,568.43	3	3,760.88	3	3,951.72	3	4,127.16	3	4,296.78	3		3		3		3		3	
1/4	3,572.44	1/4	3,764.89	1/4	3,955.56	1/4	4,130.59	1/4	4,300.74	1/4		1/4		1/4		1/4		1/4	
1/2	3,576.45	1/2	3,768.90	1/2	3,959.39	1/2	4,134.03	1/2	4,304.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,580.46	3/4	3,772.91	3/4	3,963.22	3/4	4,137.46	3/4	4,308.65	3/4		3/4		3/4		3/4		3/4	
4	3,584.47	4	3,776.92	4	3,967.06	4	4,140.89	4	4,312.61	4		4		4		4		4	
1/4	3,588.48	1/4	3,780.93	1/4	3,970.86	1/4	4,144.30	1/4	4,316.56	1/4		1/4		1/4		1/4		1/4	
1/2	3,592.49	1/2	3,784.93	1/2	3,974.66	1/2	4,147.70	1/2	4,320.52	1/2		1/2		1/2		1/2		1/2	
3/4	3,596.50	3/4	3,788.94	3/4	3,978.46	3/4	4,151.10	3/4	4,324.48	3/4		3/4		3/4		3/4		3/4	
5	3,600.51	5	3,792.95	5	3,982.26	5	4,154.51	5	4,328.43	5		5		5		5		5	
1/4	3,604.52	1/4	3,796.96	1/4	3,986.03	1/4	4,157.88	1/4	4,332.39	1/4		1/4		1/4		1/4		1/4	
1/2	3,608.53	1/2	3,800.97	1/2	3,989.80	1/2	4,161.25	1/2	4,336.35	1/2		1/2		1/2		1/2		1/2	
3/4	3,612.53	3/4	3,804.98	3/4	3,993.57	3/4	4,164.62	3/4	4,340.30	3/4		3/4		3/4		3/4		3/4	
6	3,616.54	6	3,808.99	6	3,997.34	6	4,167.99	6	4,344.26	6		6		6		6		6	
1/4	3,620.55	1/4	3,813.00	1/4	4,001.08	1/4	4,171.33	1/4	4,348.21	1/4		1/4		1/4		1/4		1/4	
1/2	3,624.56	1/2	3,817.01	1/2	4,004.81	1/2	4,174.67	1/2	4,352.16	1/2		1/2		1/2		1/2		1/2	
3/4	3,628.57	3/4	3,821.02	3/4	4,008.55	3/4	4,178.00	3/4	4,356.11	3/4		3/4		3/4		3/4		3/4	
7	3,632.58	7	3,825.03	7	4,012.29	7	4,181.34	7	4,359.99	7		7		7		7		7	
1/4	3,636.59	1/4	3,829.04	1/4	4,015.99	1/4	4,184.65	1/4	4,363.94	1/4		1/4		1/4		1/4		1/4	
1/2	3,640.60	1/2	3,833.05	1/2	4,019.70	1/2	4,187.96	1/2	4,367.89	1/2		1/2		1/2		1/2		1/2	
3/4	3,644.61	3/4	3,837.06	3/4	4,023.40	3/4	4,191.26	3/4	4,371.84	3/4		3/4		3/4		3/4		3/4	
8	3,648.62	8	3,841.06	8	4,027.11	8	4,194.57	8	4,375.79	8		8		8		8		8	
1/4	3,652.63	1/4	3,845.07	1/4	4,030.78	1/4	4,197.84	1/4	4,379.74	1/4		1/4		1/4		1/4		1/4	
1/2	3,656.64	1/2	3,849.08	1/2	4,034.46	1/2	4,201.12	1/2	4,383.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,660.65	3/4	3,853.09	3/4	4,038.13	3/4	4,204.39	3/4	4,387.64	3/4		3/4		3/4		3/4		3/4	
9	3,664.66	9	3,857.10	9	4,041.80	9	4,207.67	9	4,391.59	9		9		9		9		9	
1/4	3,668.66	1/4	3,861.11	1/4	4,045.44	1/4	4,210.91	1/4	4,395.54	1/4		1/4		1/4		1/4		1/4	
1/2	3,672.67	1/2	3,865.12	1/2	4,049.08	1/2	4,214.15	1/2	4,399.49	1/2		1/2		1/2		1/2		1/2	
3/4	3,676.68	3/4	3,869.13	3/4	4,052.73	3/4	4,217.40	3/4	4,403.44	3/4		3/4		3/4		3/4		3/4	
10	3,680.69	10	3,873.14	10	4,056.37	10	4,220.64	10	4,407.39	10		10		10		10		10	
1/4	3,684.70	1/4	3,877.13	1/4	4,059.98	1/4	4,223.85	1/4	4,411.34	1/4		1/4		1/4		1/4		1/4	
1/2	3,688.71	1/2	3,881.13	1/2	4,063.59	1/2	4,227.06	1/2	4,415.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,692.72	3/4	3,885.12	3/4	4,067.20	3/4	4,230.27	3/4	4,419.24	3/4		3/4		3/4		3/4		3/4	
11	3,696.73	11	3,889.11	11	4,070.80	11	4,233.48	11	4,423.19	11		11		11		11		11	
1/4	3,700.74	1/4	3,893.07	1/4	4,074.38	1/4	4,237.44	1/4	4,427.14	1/4		1/4		1/4		1/4		1/4	
1/2	3,704.75	1/2	3,897.03	1/2	4,077.96	1/2	4,241.39	1/2	4,431.09	1/2		1/2		1/2		1/2		1/2	
3/4	3,708.76	3/4	3,901.00	3/4	4,081.54	3/4	4,245.35	3/4	4,435.04	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/15/2020 JS
CALCULATED: 09/16/2020 CL
PRINTED: 09/16/2020 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2020