



BARGE "PTC 2002"

INNAGE TRIM TABLE (HERMETIC)

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8
1 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8
2 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4
2 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4
3 PORT	- 00-5/8	00-5/8	- 01-1/8	01-1/8	- 01-3/4	01-3/4	- 02-1/4	02-1/4	- 02-7/8	02-7/8	- 03-1/2	03-1/2
3 STBD	- 00-5/8	00-5/8	- 01-1/8	01-1/8	- 01-3/4	01-3/4	- 02-1/4	02-1/4	- 02-7/8	02-7/8	- 03-3/8	03-3/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 253'-09"

September 16, 2020

**PRECISION MEASUREMENT
& ANALYSIS, INC.**

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "PTC 2002"

1 PORT INNAGE TABLE

HERMETIC GAUGE HEIGHT 15'-08 1/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	23.71	0	357.09	0	713.34	0	1,076.01	0	1,438.68	0	1,801.60	0	2,164.53	0	2,527.45	0	2,890.27	0	3,253.05
1/4	27.28	1/4	364.65	1/4	720.90	1/4	1,083.56	1/4	1,446.24	1/4	1,809.17	1/4	2,172.09	1/4	2,535.01	1/4	2,897.83	1/4	3,260.61
1/2	30.86	1/2	372.21	1/2	728.46	1/2	1,091.10	1/2	1,453.80	1/2	1,816.73	1/2	2,179.65	1/2	2,542.57	1/2	2,905.39	1/2	3,268.17
3/4	34.44	3/4	379.77	3/4	736.02	3/4	1,098.65	3/4	1,461.36	3/4	1,824.29	3/4	2,187.21	3/4	2,550.13	3/4	2,912.94	3/4	3,275.73
1	38.01	1	387.33	1	743.58	1	1,106.20	1	1,468.93	1	1,831.85	1	2,194.77	1	2,557.69	1	2,920.50	1	3,283.29
1/4	42.85	1/4	394.90	1/4	751.14	1/4	1,113.75	1/4	1,476.49	1/4	1,839.41	1/4	2,202.33	1/4	2,565.26	1/4	2,928.06	1/4	3,290.84
1/2	47.69	1/2	402.46	1/2	758.70	1/2	1,121.30	1/2	1,484.05	1/2	1,846.97	1/2	2,209.89	1/2	2,572.82	1/2	2,935.62	1/2	3,298.40
3/4	52.53	3/4	410.02	3/4	766.26	3/4	1,128.85	3/4	1,491.61	3/4	1,854.53	3/4	2,217.45	3/4	2,580.38	3/4	2,943.18	3/4	3,305.96
2	57.36	2	417.58	2	773.82	2	1,136.39	2	1,499.17	2	1,862.09	2	2,225.02	2	2,587.94	2	2,950.73	2	3,313.52
1/4	64.29	1/4	425.14	1/4	781.39	1/4	1,143.94	1/4	1,506.73	1/4	1,869.65	1/4	2,232.58	1/4	2,595.50	1/4	2,958.29	1/4	3,321.08
1/2	71.22	1/2	432.70	1/2	788.95	1/2	1,151.49	1/2	1,514.29	1/2	1,877.21	1/2	2,240.14	1/2	2,603.06	1/2	2,965.85	1/2	3,328.63
3/4	78.15	3/4	440.26	3/4	796.51	3/4	1,159.04	3/4	1,521.85	3/4	1,884.77	3/4	2,247.70	3/4	2,610.62	3/4	2,973.41	3/4	3,336.19
3	85.08	3	447.82	3	804.07	3	1,166.59	3	1,529.41	3	1,892.34	3	2,255.26	3	2,618.18	3	2,980.97	3	3,343.75
1/4	92.61	1/4	455.38	1/4	811.63	1/4	1,174.14	1/4	1,536.97	1/4	1,899.90	1/4	2,262.82	1/4	2,625.74	1/4	2,988.52	1/4	3,351.31
1/2	100.13	1/2	462.94	1/2	819.19	1/2	1,181.69	1/2	1,544.53	1/2	1,907.46	1/2	2,270.38	1/2	2,633.30	1/2	2,996.08	1/2	3,358.87
3/4	107.66	3/4	470.50	3/4	826.75	3/4	1,189.23	3/4	1,552.10	3/4	1,915.02	3/4	2,277.94	3/4	2,640.86	3/4	3,003.64	3/4	3,366.42
4	115.19	4	478.06	4	834.31	4	1,196.78	4	1,559.66	4	1,922.58	4	2,285.50	4	2,648.41	4	3,011.20	4	3,373.98
1/4	122.74	1/4	485.63	1/4	841.87	1/4	1,204.33	1/4	1,567.22	1/4	1,930.14	1/4	2,293.06	1/4	2,655.97	1/4	3,018.76	1/4	3,381.54
1/2	130.29	1/2	493.19	1/2	849.43	1/2	1,211.88	1/2	1,574.78	1/2	1,937.70	1/2	2,300.62	1/2	2,663.53	1/2	3,026.31	1/2	3,389.10
3/4	137.84	3/4	500.75	3/4	856.99	3/4	1,219.43	3/4	1,582.34	3/4	1,945.26	3/4	2,308.19	3/4	2,671.09	3/4	3,033.87	3/4	3,396.66
5	145.39	5	508.31	5	864.55	5	1,226.98	5	1,589.90	5	1,952.82	5	2,315.75	5	2,678.65	5	3,041.43	5	3,404.21
1/4	152.95	1/4	515.87	1/4	872.11	1/4	1,234.54	1/4	1,597.46	1/4	1,960.38	1/4	2,323.31	1/4	2,686.20	1/4	3,048.99	1/4	3,411.77
1/2	160.51	1/2	523.43	1/2	879.67	1/2	1,242.10	1/2	1,605.02	1/2	1,967.94	1/2	2,330.87	1/2	2,693.76	1/2	3,056.55	1/2	3,419.33
3/4	168.07	3/4	530.99	3/4	887.23	3/4	1,249.66	3/4	1,612.58	3/4	1,975.51	3/4	2,338.43	3/4	2,701.32	3/4	3,064.10	3/4	3,426.89
6	175.63	6	538.55	6	894.79	6	1,257.22	6	1,620.14	6	1,983.07	6	2,345.99	6	2,708.88	6	3,071.66	6	3,434.45
1/4	183.19	1/4	546.11	1/4	902.35	1/4	1,264.78	1/4	1,627.70	1/4	1,990.63	1/4	2,353.55	1/4	2,716.44	1/4	3,079.22	1/4	3,442.00
1/2	190.75	1/2	553.67	1/2	909.92	1/2	1,272.34	1/2	1,635.27	1/2	1,998.19	1/2	2,361.11	1/2	2,723.99	1/2	3,086.78	1/2	3,449.56
3/4	198.31	3/4	561.23	3/4	917.48	3/4	1,279.90	3/4	1,642.83	3/4	2,005.75	3/4	2,368.67	3/4	2,731.55	3/4	3,094.34	3/4	3,457.12
7	205.88	7	568.79	7	925.04	7	1,287.46	7	1,650.39	7	2,013.31	7	2,376.23	7	2,739.11	7	3,101.89	7	3,464.68
1/4	213.44	1/4	576.35	1/4	932.59	1/4	1,295.02	1/4	1,657.95	1/4	2,020.87	1/4	2,383.79	1/4	2,746.67	1/4	3,109.45	1/4	3,472.24
1/2	221.00	1/2	583.92	1/2	940.13	1/2	1,302.59	1/2	1,665.51	1/2	2,028.43	1/2	2,391.36	1/2	2,754.23	1/2	3,117.01	1/2	3,479.79
3/4	228.56	3/4	591.48	3/4	947.68	3/4	1,310.15	3/4	1,673.07	3/4	2,035.99	3/4	2,398.92	3/4	2,761.78	3/4	3,124.57	3/4	3,487.35
8	236.12	8	599.04	8	955.23	8	1,317.71	8	1,680.63	8	2,043.55	8	2,406.48	8	2,769.34	8	3,132.13	8	3,494.91
1/4	243.68	1/4	605.76	1/4	962.78	1/4	1,325.27	1/4	1,688.19	1/4	2,051.11	1/4	2,414.04	1/4	2,776.90	1/4	3,139.68	1/4	3,502.47
1/2	251.24	1/2	612.49	1/2	970.33	1/2	1,332.83	1/2	1,695.75	1/2	2,058.68	1/2	2,421.60	1/2	2,784.46	1/2	3,147.24	1/2	3,510.03
3/4	258.80	3/4	619.22	3/4	977.88	3/4	1,340.39	3/4	1,703.31	3/4	2,066.24	3/4	2,429.16	3/4	2,792.02	3/4	3,154.80	3/4	3,517.58
9	266.36	9	625.95	9	985.42	9	1,347.95	9	1,710.87	9	2,073.80	9	2,436.72	9	2,799.57	9	3,162.36	9	3,525.14
1/4	273.92	1/4	632.67	1/4	992.97	1/4	1,355.51	1/4	1,718.44	1/4	2,081.36	1/4	2,444.28	1/4	2,807.13	1/4	3,169.92	1/4	3,532.70
1/2	281.48	1/2	639.40	1/2	1,000.52	1/2	1,363.07	1/2	1,726.00	1/2	2,088.92	1/2	2,451.84	1/2	2,814.69	1/2	3,177.47	1/2	3,540.26
3/4	289.04	3/4	646.13	3/4	1,008.07	3/4	1,370.63	3/4	1,733.56	3/4	2,096.48	3/4	2,459.40	3/4	2,822.25	3/4	3,185.03	3/4	3,547.82
10	296.61	10	652.85	10	1,015.62	10	1,378.19	10	1,741.12	10	2,104.04	10	2,466.96	10	2,829.81	10	3,192.59	10	3,555.37
1/4	304.17	1/4	660.42	1/4	1,023.17	1/4	1,385.76	1/4	1,748.68	1/4	2,111.60	1/4	2,474.52	1/4	2,837.36	1/4	3,200.15	1/4	3,562.93
1/2	311.73	1/2	667.98	1/2	1,030.72	1/2	1,393.32	1/2	1,756.24	1/2	2,119.16	1/2	2,482.09	1/2	2,844.92	1/2	3,207.71	1/2	3,570.49
3/4	319.29	3/4	675.54	3/4	1,038.26	3/4	1,400.88	3/4	1,763.80	3/4	2,126.72	3/4	2,489.65	3/4	2,852.48	3/4	3,215.26	3/4	3,578.05
11	326.85	11	683.10	11	1,045.81	11	1,408.44	11	1,771.36	11	2,134.28	11	2,497.21	11	2,860.04	11	3,222.82	11	3,585.61
1/4	334.41	1/4	690.66	1/4	1,053.36	1/4	1,416.00	1/4	1,778.92	1/4	2,141.85	1/4	2,504.77	1/4	2,867.60	1/4	3,230.38	1/4	3,593.16
1/2	341.97	1/2	698.22	1/2	1,060.91	1/2	1,423.56	1/2	1,786.48	1/2	2,149.41	1/2	2,512.33	1/2	2,875.15	1/2	3,237.94	1/2	3,600.72
3/4	349.53	3/4	705.78	3/4	1,068.46	3/4	1,431.12	3/4	1,794.04	3/4	2,156.97	3/4	2,519.89	3/4	2,882.71	3/4	3,245.50	3/4	3,608.28

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 2" DIAMETER "HERMETIC" VALVE
 GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 42'-03" FORWARD OF AFT BULKHEAD

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "PTC 2002"

1 PORT

INNAGE TABLE HERMETIC

GAUGE HEIGHT 15'-08 1/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,615.84	0	3,978.62	0	4,341.16	0	4,691.56	0	5,025.15	0		0		0		0		0	
1/4	3,623.40	1/4	3,986.18	1/4	4,348.63	1/4	4,698.65	1/4	5,032.61	1/4		1/4		1/4		1/4		1/4	
1/2	3,630.95	1/2	3,993.74	1/2	4,356.11	1/2	4,705.74	1/2	5,040.07	1/2		1/2		1/2		1/2		1/2	
3/4	3,638.51	3/4	4,001.30	3/4	4,363.59	3/4	4,712.83	3/4	5,047.53	3/4		3/4		3/4		3/4		3/4	
1	3,646.07	1	4,008.85	1	4,371.07	1	4,719.93	1	5,054.99	1		1		1		1		1	
1/4	3,653.63	1/4	4,016.41	1/4	4,378.51	1/4	4,726.95	1/4	5,062.45	1/4		1/4		1/4		1/4		1/4	
1/2	3,661.19	1/2	4,023.97	1/2	4,385.96	1/2	4,733.98	1/2	5,069.91	1/2		1/2		1/2		1/2		1/2	
3/4	3,668.74	3/4	4,031.53	3/4	4,393.40	3/4	4,741.01	3/4	5,077.37	3/4		3/4		3/4		3/4		3/4	
2	3,676.30	2	4,039.09	2	4,400.85	2	4,748.04	2	5,084.83	2		2		2		2		2	
1/4	3,683.86	1/4	4,046.64	1/4	4,408.26	1/4	4,755.04	1/4	5,092.29	1/4		1/4		1/4		1/4		1/4	
1/2	3,691.42	1/2	4,054.20	1/2	4,415.67	1/2	4,762.04	1/2	5,099.75	1/2		1/2		1/2		1/2		1/2	
3/4	3,698.98	3/4	4,061.76	3/4	4,423.09	3/4	4,769.03	3/4	5,107.21	3/4		3/4		3/4		3/4		3/4	
3	3,706.53	3	4,069.32	3	4,430.50	3	4,776.03	3	5,114.67	3		3		3		3		3	
1/4	3,714.09	1/4	4,076.88	1/4	4,437.88	1/4	4,782.99	1/4	5,122.13	1/4		1/4		1/4		1/4		1/4	
1/2	3,721.65	1/2	4,084.43	1/2	4,445.26	1/2	4,789.96	1/2	5,129.58	1/2		1/2		1/2		1/2		1/2	
3/4	3,729.21	3/4	4,091.99	3/4	4,452.64	3/4	4,796.92	3/4	5,137.04	3/4		3/4		3/4		3/4		3/4	
4	3,736.77	4	4,099.55	4	4,460.02	4	4,803.89	4	5,144.50	4		4		4		4		4	
1/4	3,744.32	1/4	4,107.11	1/4	4,467.37	1/4	4,810.82	1/4	5,151.96	1/4		1/4		1/4		1/4		1/4	
1/2	3,751.88	1/2	4,114.67	1/2	4,474.72	1/2	4,817.75	1/2	5,159.42	1/2		1/2		1/2		1/2		1/2	
3/4	3,759.44	3/4	4,122.22	3/4	4,482.07	3/4	4,824.69	3/4	5,166.88	3/4		3/4		3/4		3/4		3/4	
5	3,767.00	5	4,129.78	5	4,489.42	5	4,831.62	5	5,174.34	5		5		5		5		5	
1/4	3,774.56	1/4	4,137.34	1/4	4,496.73	1/4	4,838.52	1/4	5,181.80	1/4		1/4		1/4		1/4		1/4	
1/2	3,782.11	1/2	4,144.90	1/2	4,504.05	1/2	4,845.42	1/2	5,189.26	1/2		1/2		1/2		1/2		1/2	
3/4	3,789.67	3/4	4,152.46	3/4	4,511.36	3/4	4,852.32	3/4	5,196.72	3/4		3/4		3/4		3/4		3/4	
6	3,797.23	6	4,160.01	6	4,518.68	6	4,859.22	6	5,204.18	6		6		6		6		6	
1/4	3,804.79	1/4	4,167.57	1/4	4,525.96	1/4	4,866.09	1/4	5,210.38	1/4		1/4		1/4		1/4		1/4	
1/2	3,812.35	1/2	4,175.13	1/2	4,533.25	1/2	4,872.96	1/2	5,216.58	1/2		1/2		1/2		1/2		1/2	
3/4	3,819.90	3/4	4,182.69	3/4	4,540.53	3/4	4,879.82	3/4	5,222.78	3/4		3/4		3/4		3/4		3/4	
7	3,827.46	7	4,190.25	7	4,547.82	7	4,886.69	7	5,228.98	7		7		7		7		7	
1/4	3,835.02	1/4	4,197.80	1/4	4,555.07	1/4	4,893.53	1/4	5,233.94	1/4		1/4		1/4		1/4		1/4	
1/2	3,842.58	1/2	4,205.36	1/2	4,562.32	1/2	4,900.36	1/2	5,238.91	1/2		1/2		1/2		1/2		1/2	
3/4	3,850.14	3/4	4,212.92	3/4	4,569.57	3/4	4,907.20	3/4	5,243.88	3/4		3/4		3/4		3/4		3/4	
8	3,857.69	8	4,220.48	8	4,576.82	8	4,914.04	8	5,248.85	8		8		8		8		8	
1/4	3,865.25	1/4	4,228.04	1/4	4,584.04	1/4	4,920.84	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,872.81	1/2	4,235.59	1/2	4,591.26	1/2	4,927.64	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,880.37	3/4	4,243.15	3/4	4,598.48	3/4	4,934.45	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,887.93	9	4,250.71	9	4,605.70	9	4,941.25	9		9		9		9		9		9	
1/4	3,895.48	1/4	4,258.27	1/4	4,612.89	1/4	4,948.02	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,903.04	1/2	4,265.83	1/2	4,620.08	1/2	4,954.80	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,910.60	3/4	4,273.38	3/4	4,627.26	3/4	4,961.57	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,918.16	10	4,280.94	10	4,634.45	10	4,968.34	10		10		10		10		10		10	
1/4	3,925.72	1/4	4,288.49	1/4	4,641.61	1/4	4,975.09	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,933.27	1/2	4,296.03	1/2	4,648.76	1/2	4,981.83	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,940.83	3/4	4,303.57	3/4	4,655.92	3/4	4,988.57	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,948.39	11	4,311.12	11	4,663.07	11	4,995.31	11		11		11		11		11		11	
1/4	3,955.95	1/4	4,318.63	1/4	4,670.19	1/4	5,002.77	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,963.51	1/2	4,326.14	1/2	4,677.32	1/2	5,010.23	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,971.06	3/4	4,333.65	3/4	4,684.44	3/4	5,017.69	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/15/2020 JS
CALCULATED: 09/16/2020 CL
PRINTED: 09/16/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "PTC 2002"

**1 STBD
INNAGE TABLE**

**HERMETIC
GAUGE HEIGHT 15'-08 1/2"**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	23.69	0	356.89	0	712.95	0	1,074.46	0	1,435.98	0	1,798.70	0	2,161.42	0	2,524.14	0	2,886.75	0	3,249.33
1/4	27.27	1/4	364.45	1/4	720.50	1/4	1,081.96	1/4	1,443.54	1/4	1,806.26	1/4	2,169.97	1/4	2,531.69	1/4	2,894.30	1/4	3,256.89
1/2	30.84	1/2	372.01	1/2	728.06	1/2	1,089.47	1/2	1,451.10	1/2	1,813.81	1/2	2,176.53	1/2	2,539.25	1/2	2,901.86	1/2	3,264.44
3/4	34.42	3/4	379.56	3/4	735.61	3/4	1,096.97	3/4	1,458.65	3/4	1,821.37	3/4	2,184.09	3/4	2,546.80	3/4	2,909.41	3/4	3,271.99
1	37.99	1	387.12	1	743.17	1	1,104.48	1	1,466.21	1	1,828.93	1	2,191.64	1	2,554.36	1	2,916.97	1	3,279.55
1/4	42.83	1/4	394.68	1/4	750.73	1/4	1,111.98	1/4	1,473.77	1/4	1,836.48	1/4	2,199.20	1/4	2,561.92	1/4	2,924.52	1/4	3,287.10
1/2	47.67	1/2	402.23	1/2	758.28	1/2	1,119.49	1/2	1,481.32	1/2	1,844.04	1/2	2,206.76	1/2	2,569.47	1/2	2,932.07	1/2	3,294.66
3/4	52.50	3/4	409.79	3/4	765.84	3/4	1,126.99	3/4	1,488.88	3/4	1,851.60	3/4	2,214.31	3/4	2,577.03	3/4	2,939.63	3/4	3,302.21
2	57.34	2	417.35	2	773.40	2	1,134.50	2	1,496.44	2	1,859.15	2	2,221.87	2	2,584.59	2	2,947.18	2	3,309.76
1/4	64.26	1/4	424.90	1/4	780.95	1/4	1,142.00	1/4	1,503.99	1/4	1,866.71	1/4	2,229.43	1/4	2,592.14	1/4	2,954.74	1/4	3,317.32
1/2	71.19	1/2	432.46	1/2	788.51	1/2	1,149.51	1/2	1,511.55	1/2	1,874.27	1/2	2,236.98	1/2	2,599.70	1/2	2,962.29	1/2	3,324.87
3/4	78.11	3/4	440.02	3/4	796.07	3/4	1,157.01	3/4	1,519.11	3/4	1,881.82	3/4	2,244.54	3/4	2,607.26	3/4	2,969.84	3/4	3,332.43
3	85.04	3	447.57	3	803.62	3	1,164.52	3	1,526.66	3	1,889.38	3	2,252.10	3	2,614.81	3	2,977.40	3	3,339.98
1/4	92.56	1/4	455.13	1/4	811.18	1/4	1,172.02	1/4	1,534.22	1/4	1,896.94	1/4	2,259.65	1/4	2,622.37	1/4	2,984.95	1/4	3,347.53
1/2	100.08	1/2	462.69	1/2	818.73	1/2	1,179.53	1/2	1,541.78	1/2	1,904.49	1/2	2,267.21	1/2	2,629.92	1/2	2,992.50	1/2	3,355.09
3/4	107.60	3/4	470.24	3/4	826.29	3/4	1,187.03	3/4	1,549.33	3/4	1,912.05	3/4	2,274.77	3/4	2,637.48	3/4	3,000.06	3/4	3,362.64
4	115.12	4	477.80	4	833.85	4	1,194.54	4	1,556.89	4	1,919.61	4	2,282.32	4	2,645.03	4	3,007.61	4	3,370.19
1/4	122.67	1/4	485.35	1/4	841.40	1/4	1,202.04	1/4	1,564.45	1/4	1,927.16	1/4	2,289.88	1/4	2,652.58	1/4	3,015.17	1/4	3,377.75
1/2	130.22	1/2	492.91	1/2	848.96	1/2	1,209.55	1/2	1,572.00	1/2	1,934.72	1/2	2,297.44	1/2	2,660.14	1/2	3,022.72	1/2	3,385.30
3/4	137.77	3/4	500.47	3/4	856.52	3/4	1,217.05	3/4	1,579.56	3/4	1,942.28	3/4	2,304.99	3/4	2,667.69	3/4	3,030.27	3/4	3,392.86
5	145.31	5	508.02	5	864.07	5	1,224.56	5	1,587.12	5	1,949.83	5	2,312.55	5	2,675.24	5	3,037.83	5	3,400.41
1/4	152.87	1/4	515.58	1/4	871.63	1/4	1,232.07	1/4	1,594.67	1/4	1,957.39	1/4	2,320.11	1/4	2,682.80	1/4	3,045.38	1/4	3,407.96
1/2	160.43	1/2	523.14	1/2	879.18	1/2	1,239.59	1/2	1,602.23	1/2	1,964.95	1/2	2,327.66	1/2	2,690.35	1/2	3,052.93	1/2	3,415.52
3/4	167.98	3/4	530.69	3/4	886.74	3/4	1,247.11	3/4	1,609.79	3/4	1,972.50	3/4	2,335.22	3/4	2,697.91	3/4	3,060.49	3/4	3,423.07
6	175.54	6	538.25	6	894.30	6	1,254.63	6	1,617.34	6	1,980.06	6	2,342.78	6	2,705.46	6	3,068.04	6	3,430.62
1/4	183.09	1/4	545.81	1/4	901.81	1/4	1,262.18	1/4	1,624.90	1/4	1,987.62	1/4	2,350.33	1/4	2,713.01	1/4	3,075.60	1/4	3,438.18
1/2	190.65	1/2	553.36	1/2	909.33	1/2	1,269.74	1/2	1,632.46	1/2	1,995.17	1/2	2,357.89	1/2	2,720.57	1/2	3,083.15	1/2	3,445.73
3/4	198.21	3/4	560.92	3/4	916.85	3/4	1,277.30	3/4	1,640.01	3/4	2,002.73	3/4	2,365.45	3/4	2,728.12	3/4	3,090.70	3/4	3,453.29
7	205.76	7	568.48	7	924.36	7	1,284.85	7	1,647.57	7	2,010.29	7	2,373.00	7	2,735.68	7	3,098.26	7	3,460.84
1/4	213.32	1/4	576.03	1/4	931.87	1/4	1,292.41	1/4	1,655.13	1/4	2,017.84	1/4	2,380.56	1/4	2,743.23	1/4	3,105.81	1/4	3,468.39
1/2	220.88	1/2	583.59	1/2	939.37	1/2	1,299.97	1/2	1,662.68	1/2	2,025.40	1/2	2,388.12	1/2	2,750.78	1/2	3,113.37	1/2	3,475.95
3/4	228.43	3/4	591.15	3/4	946.88	3/4	1,307.52	3/4	1,670.24	3/4	2,032.96	3/4	2,395.67	3/4	2,758.34	3/4	3,120.92	3/4	3,483.50
8	235.99	8	598.70	8	954.38	8	1,315.08	8	1,677.80	8	2,040.51	8	2,403.23	8	2,765.89	8	3,128.47	8	3,491.06
1/4	243.55	1/4	605.43	1/4	961.89	1/4	1,322.64	1/4	1,685.35	1/4	2,048.07	1/4	2,410.79	1/4	2,773.44	1/4	3,136.03	1/4	3,498.61
1/2	251.10	1/2	612.15	1/2	969.39	1/2	1,330.19	1/2	1,692.91	1/2	2,055.63	1/2	2,418.34	1/2	2,781.00	1/2	3,143.58	1/2	3,506.16
3/4	258.66	3/4	618.87	3/4	976.90	3/4	1,337.75	3/4	1,700.47	3/4	2,063.18	3/4	2,425.90	3/4	2,788.55	3/4	3,151.13	3/4	3,513.72
9	266.22	9	625.60	9	984.40	9	1,345.31	9	1,708.02	9	2,070.74	9	2,433.46	9	2,796.11	9	3,158.69	9	3,521.27
1/4	273.77	1/4	632.32	1/4	991.91	1/4	1,352.86	1/4	1,715.58	1/4	2,078.30	1/4	2,441.01	1/4	2,803.66	1/4	3,166.24	1/4	3,528.82
1/2	281.33	1/2	639.05	1/2	999.41	1/2	1,360.42	1/2	1,723.14	1/2	2,085.85	1/2	2,448.57	1/2	2,811.21	1/2	3,173.80	1/2	3,536.38
3/4	288.89	3/4	645.77	3/4	1,006.92	3/4	1,367.98	3/4	1,730.69	3/4	2,093.41	3/4	2,456.13	3/4	2,818.77	3/4	3,181.35	3/4	3,543.93
10	296.44	10	652.50	10	1,014.42	10	1,375.53	10	1,738.25	10	2,100.97	10	2,463.68	10	2,826.32	10	3,188.90	10	3,551.49
1/4	304.00	1/4	660.05	1/4	1,021.93	1/4	1,383.09	1/4	1,745.81	1/4	2,108.52	1/4	2,471.24	1/4	2,833.87	1/4	3,196.46	1/4	3,559.04
1/2	311.56	1/2	667.61	1/2	1,029.43	1/2	1,390.65	1/2	1,753.36	1/2	2,116.08	1/2	2,478.80	1/2	2,841.43	1/2	3,204.01	1/2	3,566.59
3/4	319.11	3/4	675.16	3/4	1,036.94	3/4	1,398.20	3/4	1,760.92	3/4	2,123.64	3/4	2,486.35	3/4	2,848.98	3/4	3,211.56	3/4	3,574.15
11	326.67	11	682.72	11	1,044.44	11	1,405.76	11	1,768.48	11	2,131.19	11	2,493.91	11	2,856.54	11	3,219.12	11	3,581.70
1/4	334.22	1/4	690.28	1/4	1,051.94	1/4	1,413.32	1/4	1,776.03	1/4	2,138.75	1/4	2,501.47	1/4	2,864.09	1/4	3,226.67	1/4	3,589.25
1/2	341.78	1/2	697.83	1/2	1,059.45	1/2	1,420.87	1/2	1,783.59	1/2	2,146.31	1/2	2,509.02	1/2	2,871.64	1/2	3,234.23	1/2	3,596.81
3/4	349.34	3/4	705.39	3/4	1,066.95	3/4	1,428.43	3/4	1,791.14	3/4	2,153.86	3/4	2,516.58	3/4	2,879.20	3/4	3,241.78	3/4	3,604.36

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 2" DIAMETER "HERMETIC" VALVE
GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 42'-03" FORWARD OF AFT BULKHEAD

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "PTC 2002"

1 STBD

INNAGE TABLE HERMETIC

GAUGE HEIGHT 15'-08 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,611.92	0	3,974.50	0	4,336.82	0	4,687.04	0	5,020.46	0		0		0		0		0	
1/4	3,619.47	1/4	3,982.05	1/4	4,344.29	1/4	4,694.12	1/4	5,027.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,627.02	1/2	3,989.61	1/2	4,351.77	1/2	4,701.21	1/2	5,035.37	1/2		1/2		1/2		1/2		1/2	
3/4	3,634.58	3/4	3,997.16	3/4	4,359.24	3/4	4,708.30	3/4	5,042.82	3/4		3/4		3/4		3/4		3/4	
1	3,642.13	1	4,004.71	1	4,366.71	1	4,715.39	1	5,050.28	1		1		1		1		1	
1/4	3,649.69	1/4	4,012.27	1/4	4,374.15	1/4	4,722.41	1/4	5,057.73	1/4		1/4		1/4		1/4		1/4	
1/2	3,657.24	1/2	4,019.82	1/2	4,381.60	1/2	4,729.44	1/2	5,065.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,664.79	3/4	4,027.38	3/4	4,389.04	3/4	4,736.46	3/4	5,072.65	3/4		3/4		3/4		3/4		3/4	
2	3,672.35	2	4,034.93	2	4,396.48	2	4,743.49	2	5,080.10	2		2		2		2		2	
1/4	3,679.90	1/4	4,042.48	1/4	4,403.89	1/4	4,750.48	1/4	5,087.56	1/4		1/4		1/4		1/4		1/4	
1/2	3,687.45	1/2	4,050.04	1/2	4,411.30	1/2	4,757.47	1/2	5,095.01	1/2		1/2		1/2		1/2		1/2	
3/4	3,695.01	3/4	4,057.59	3/4	4,418.70	3/4	4,764.47	3/4	5,102.47	3/4		3/4		3/4		3/4		3/4	
3	3,702.56	3	4,065.14	3	4,426.11	3	4,771.46	3	5,109.92	3		3		3		3		3	
1/4	3,710.12	1/4	4,072.70	1/4	4,433.49	1/4	4,778.42	1/4	5,117.38	1/4		1/4		1/4		1/4		1/4	
1/2	3,717.67	1/2	4,080.25	1/2	4,440.87	1/2	4,785.38	1/2	5,124.84	1/2		1/2		1/2		1/2		1/2	
3/4	3,725.22	3/4	4,087.81	3/4	4,448.24	3/4	4,792.35	3/4	5,132.29	3/4		3/4		3/4		3/4		3/4	
4	3,732.78	4	4,095.36	4	4,455.62	4	4,799.31	4	5,139.75	4		4		4		4		4	
1/4	3,740.33	1/4	4,102.91	1/4	4,462.96	1/4	4,806.24	1/4	5,147.20	1/4		1/4		1/4		1/4		1/4	
1/2	3,747.88	1/2	4,110.47	1/2	4,470.31	1/2	4,813.16	1/2	5,154.66	1/2		1/2		1/2		1/2		1/2	
3/4	3,755.44	3/4	4,118.02	3/4	4,477.65	3/4	4,820.09	3/4	5,162.11	3/4		3/4		3/4		3/4		3/4	
5	3,762.99	5	4,125.57	5	4,485.00	5	4,827.02	5	5,169.57	5		5		5		5		5	
1/4	3,770.55	1/4	4,133.13	1/4	4,492.31	1/4	4,833.92	1/4	5,177.02	1/4		1/4		1/4		1/4		1/4	
1/2	3,778.10	1/2	4,140.68	1/2	4,499.62	1/2	4,840.82	1/2	5,184.48	1/2		1/2		1/2		1/2		1/2	
3/4	3,785.65	3/4	4,148.24	3/4	4,506.93	3/4	4,847.71	3/4	5,191.94	3/4		3/4		3/4		3/4		3/4	
6	3,793.21	6	4,155.79	6	4,514.25	6	4,854.61	6	5,199.39	6		6		6		6		6	
1/4	3,800.76	1/4	4,163.34	1/4	4,521.53	1/4	4,861.47	1/4	5,205.59	1/4		1/4		1/4		1/4		1/4	
1/2	3,808.31	1/2	4,170.90	1/2	4,528.81	1/2	4,868.34	1/2	5,211.79	1/2		1/2		1/2		1/2		1/2	
3/4	3,815.87	3/4	4,178.45	3/4	4,536.09	3/4	4,875.20	3/4	5,217.98	3/4		3/4		3/4		3/4		3/4	
7	3,823.42	7	4,186.00	7	4,543.37	7	4,882.07	7	5,224.18	7		7		7		7		7	
1/4	3,830.98	1/4	4,193.56	1/4	4,550.62	1/4	4,888.90	1/4	5,229.15	1/4		1/4		1/4		1/4		1/4	
1/2	3,838.53	1/2	4,201.11	1/2	4,557.86	1/2	4,895.73	1/2	5,234.11	1/2		1/2		1/2		1/2		1/2	
3/4	3,846.08	3/4	4,208.67	3/4	4,565.11	3/4	4,902.57	3/4	5,239.08	3/4		3/4		3/4		3/4		3/4	
8	3,853.64	8	4,216.22	8	4,572.36	8	4,909.40	8	5,244.04	8		8		8		8		8	
1/4	3,861.19	1/4	4,223.77	1/4	4,579.58	1/4	4,916.20	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,868.75	1/2	4,231.33	1/2	4,586.79	1/2	4,923.00	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,876.30	3/4	4,238.88	3/4	4,594.01	3/4	4,929.80	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,883.85	9	4,246.44	9	4,601.22	9	4,936.60	9		9		9		9		9		9	
1/4	3,891.41	1/4	4,253.99	1/4	4,608.41	1/4	4,943.37	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,898.96	1/2	4,261.54	1/2	4,615.59	1/2	4,950.14	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,906.51	3/4	4,269.10	3/4	4,622.77	3/4	4,956.91	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,914.07	10	4,276.65	10	4,629.96	10	4,963.68	10		10		10		10		10		10	
1/4	3,921.62	1/4	4,284.19	1/4	4,637.11	1/4	4,970.42	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,929.18	1/2	4,291.72	1/2	4,644.26	1/2	4,977.16	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,936.73	3/4	4,299.26	3/4	4,651.41	3/4	4,983.90	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,944.28	11	4,306.80	11	4,658.56	11	4,990.63	11		11		11		11		11		11	
1/4	3,951.84	1/4	4,314.30	1/4	4,665.68	1/4	4,998.09	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,959.39	1/2	4,321.81	1/2	4,672.80	1/2	5,005.55	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,966.94	3/4	4,329.31	3/4	4,679.92	3/4	5,013.00	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/15/2020 JS
CALCULATED: 09/16/2020 CL
PRINTED: 09/16/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "PTC 2002"

2 PORT INNAGE TABLE

HERMETIC GAUGE HEIGHT 15'-08 1/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	23.63	0	355.89	0	710.94	0	1,072.38	0	1,433.84	0	1,795.54	0	2,157.24	0	2,518.94	0	2,880.54	0	3,242.11
1/4	27.20	1/4	363.42	1/4	718.47	1/4	1,079.91	1/4	1,441.37	1/4	1,803.07	1/4	2,164.77	1/4	2,526.47	1/4	2,888.07	1/4	3,249.64
1/2	30.76	1/2	370.96	1/2	726.01	1/2	1,087.43	1/2	1,448.91	1/2	1,810.61	1/2	2,172.31	1/2	2,534.01	1/2	2,895.60	1/2	3,257.17
3/4	34.32	3/4	378.49	3/4	733.54	3/4	1,094.95	3/4	1,456.44	3/4	1,818.14	3/4	2,179.84	3/4	2,541.54	3/4	2,903.14	3/4	3,264.70
1	37.89	1	386.03	1	741.08	1	1,102.48	1	1,463.98	1	1,825.68	1	2,187.38	1	2,549.08	1	2,910.67	1	3,272.24
1/4	42.71	1/4	393.56	1/4	748.61	1/4	1,110.00	1/4	1,471.51	1/4	1,833.21	1/4	2,194.91	1/4	2,556.61	1/4	2,918.20	1/4	3,279.77
1/2	47.53	1/2	401.10	1/2	756.15	1/2	1,117.52	1/2	1,479.05	1/2	1,840.75	1/2	2,202.45	1/2	2,564.15	1/2	2,925.73	1/2	3,287.30
3/4	52.35	3/4	408.64	3/4	763.68	3/4	1,125.04	3/4	1,486.59	3/4	1,848.28	3/4	2,209.98	3/4	2,571.68	3/4	2,933.27	3/4	3,294.84
2	57.17	2	416.17	2	771.22	2	1,132.57	2	1,494.12	2	1,855.82	2	2,217.52	2	2,579.22	2	2,940.80	2	3,302.37
1/4	64.08	1/4	423.71	1/4	778.75	1/4	1,140.09	1/4	1,501.66	1/4	1,863.36	1/4	2,225.05	1/4	2,586.75	1/4	2,948.33	1/4	3,309.90
1/2	70.98	1/2	431.24	1/2	786.29	1/2	1,147.61	1/2	1,509.19	1/2	1,870.89	1/2	2,232.59	1/2	2,594.29	1/2	2,955.86	1/2	3,317.43
3/4	77.89	3/4	438.78	3/4	793.82	3/4	1,155.14	3/4	1,516.73	3/4	1,878.43	3/4	2,240.13	3/4	2,601.82	3/4	2,963.40	3/4	3,324.97
3	84.79	3	446.31	3	801.36	3	1,162.66	3	1,524.26	3	1,885.96	3	2,247.66	3	2,609.36	3	2,970.93	3	3,332.50
1/4	92.29	1/4	453.85	1/4	808.89	1/4	1,170.18	1/4	1,531.80	1/4	1,893.50	1/4	2,255.20	1/4	2,616.89	1/4	2,978.46	1/4	3,340.03
1/2	99.80	1/2	461.38	1/2	816.43	1/2	1,177.71	1/2	1,539.33	1/2	1,901.03	1/2	2,262.73	1/2	2,624.43	1/2	2,985.99	1/2	3,347.56
3/4	107.30	3/4	468.92	3/4	823.96	3/4	1,185.23	3/4	1,546.87	3/4	1,908.57	3/4	2,270.27	3/4	2,631.96	3/4	2,993.53	3/4	3,355.10
4	114.80	4	476.45	4	831.50	4	1,192.75	4	1,554.40	4	1,916.10	4	2,277.80	4	2,639.49	4	3,001.06	4	3,362.63
1/4	122.32	1/4	483.99	1/4	839.03	1/4	1,200.28	1/4	1,561.94	1/4	1,923.64	1/4	2,285.34	1/4	2,647.02	1/4	3,008.59	1/4	3,370.16
1/2	129.85	1/2	491.52	1/2	846.57	1/2	1,207.80	1/2	1,569.47	1/2	1,931.17	1/2	2,292.87	1/2	2,654.56	1/2	3,016.13	1/2	3,377.70
3/4	137.37	3/4	499.06	3/4	854.10	3/4	1,215.32	3/4	1,577.01	3/4	1,938.71	3/4	2,300.41	3/4	2,662.09	3/4	3,023.66	3/4	3,385.23
5	144.90	5	506.59	5	861.64	5	1,222.85	5	1,584.55	5	1,946.24	5	2,307.94	5	2,669.62	5	3,031.19	5	3,392.76
1/4	152.44	1/4	514.13	1/4	869.17	1/4	1,230.38	1/4	1,592.08	1/4	1,953.78	1/4	2,315.48	1/4	2,677.15	1/4	3,038.72	1/4	3,400.29
1/2	159.97	1/2	521.66	1/2	876.71	1/2	1,237.92	1/2	1,599.62	1/2	1,961.32	1/2	2,323.01	1/2	2,684.69	1/2	3,046.26	1/2	3,407.83
3/4	167.51	3/4	529.20	3/4	884.24	3/4	1,245.45	3/4	1,607.15	3/4	1,968.85	3/4	2,330.55	3/4	2,692.22	3/4	3,053.79	3/4	3,415.36
6	175.04	6	536.74	6	891.78	6	1,252.99	6	1,614.69	6	1,976.39	6	2,338.09	6	2,699.75	6	3,061.32	6	3,422.89
1/4	182.58	1/4	544.27	1/4	899.31	1/4	1,260.52	1/4	1,622.22	1/4	1,983.92	1/4	2,345.62	1/4	2,707.29	1/4	3,068.85	1/4	3,430.42
1/2	190.11	1/2	551.81	1/2	906.85	1/2	1,268.06	1/2	1,629.76	1/2	1,991.46	1/2	2,353.16	1/2	2,714.82	1/2	3,076.39	1/2	3,437.96
3/4	197.65	3/4	559.34	3/4	914.38	3/4	1,275.59	3/4	1,637.29	3/4	1,998.99	3/4	2,360.69	3/4	2,722.35	3/4	3,083.92	3/4	3,445.49
7	205.18	7	566.88	7	921.92	7	1,283.13	7	1,644.83	7	2,006.53	7	2,368.23	7	2,729.88	7	3,091.45	7	3,453.02
1/4	212.72	1/4	574.41	1/4	929.44	1/4	1,290.66	1/4	1,652.36	1/4	2,014.06	1/4	2,375.76	1/4	2,737.42	1/4	3,098.99	1/4	3,460.56
1/2	220.25	1/2	581.95	1/2	936.96	1/2	1,298.20	1/2	1,659.90	1/2	2,021.60	1/2	2,383.30	1/2	2,744.95	1/2	3,106.52	1/2	3,468.09
3/4	227.79	3/4	589.48	3/4	944.49	3/4	1,305.74	3/4	1,667.43	3/4	2,029.13	3/4	2,390.83	3/4	2,752.48	3/4	3,114.05	3/4	3,475.62
8	235.32	8	597.02	8	952.01	8	1,313.27	8	1,674.97	8	2,036.67	8	2,398.37	8	2,760.01	8	3,121.58	8	3,483.15
1/4	242.86	1/4	603.72	1/4	959.53	1/4	1,320.81	1/4	1,682.51	1/4	2,044.20	1/4	2,405.90	1/4	2,767.55	1/4	3,129.12	1/4	3,490.69
1/2	250.39	1/2	610.43	1/2	967.06	1/2	1,328.34	1/2	1,690.04	1/2	2,051.74	1/2	2,413.44	1/2	2,775.08	1/2	3,136.65	1/2	3,498.22
3/4	257.93	3/4	617.13	3/4	974.58	3/4	1,335.88	3/4	1,697.58	3/4	2,059.28	3/4	2,420.97	3/4	2,782.61	3/4	3,144.18	3/4	3,505.75
9	265.46	9	623.84	9	982.10	9	1,343.41	9	1,705.11	9	2,066.81	9	2,428.51	9	2,790.14	9	3,151.71	9	3,513.28
1/4	273.00	1/4	630.54	1/4	989.63	1/4	1,350.95	1/4	1,712.65	1/4	2,074.35	1/4	2,436.05	1/4	2,797.68	1/4	3,159.25	1/4	3,520.82
1/2	280.54	1/2	637.25	1/2	997.15	1/2	1,358.48	1/2	1,720.18	1/2	2,081.88	1/2	2,443.58	1/2	2,805.21	1/2	3,166.78	1/2	3,528.35
3/4	288.07	3/4	643.95	3/4	1,004.67	3/4	1,366.02	3/4	1,727.72	3/4	2,089.42	3/4	2,451.12	3/4	2,812.74	3/4	3,174.31	3/4	3,535.88
10	295.61	10	650.65	10	1,012.20	10	1,373.55	10	1,735.25	10	2,096.95	10	2,458.65	10	2,820.28	10	3,181.85	10	3,543.41
1/4	303.14	1/4	658.19	1/4	1,019.72	1/4	1,381.09	1/4	1,742.79	1/4	2,104.49	1/4	2,466.19	1/4	2,827.81	1/4	3,189.38	1/4	3,550.95
1/2	310.68	1/2	665.72	1/2	1,027.24	1/2	1,388.63	1/2	1,750.32	1/2	2,112.02	1/2	2,473.72	1/2	2,835.34	1/2	3,196.91	1/2	3,558.48
3/4	318.21	3/4	673.26	3/4	1,034.77	3/4	1,396.16	3/4	1,757.86	3/4	2,119.56	3/4	2,481.26	3/4	2,842.87	3/4	3,204.44	3/4	3,566.01
11	325.75	11	680.80	11	1,042.29	11	1,403.70	11	1,765.40	11	2,127.09	11	2,488.79	11	2,850.41	11	3,211.98	11	3,573.55
1/4	333.28	1/4	688.33	1/4	1,049.81	1/4	1,411.23	1/4	1,772.93	1/4	2,134.63	1/4	2,496.33	1/4	2,857.94	1/4	3,219.51	1/4	3,581.08
1/2	340.82	1/2	695.87	1/2	1,057.34	1/2	1,418.77	1/2	1,780.47	1/2	2,142.17	1/2	2,503.86	1/2	2,865.47	1/2	3,227.04	1/2	3,588.61
3/4	348.35	3/4	703.40	3/4	1,064.86	3/4	1,426.30	3/4	1,788.00	3/4	2,149.70	3/4	2,511.40	3/4	2,873.00	3/4	3,234.57	3/4	3,596.14

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 2" DIAMETER "HERMETIC" VALVE
 GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 42'-03" FORWARD OF AFT BULKHEAD

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "PTC 2002"

2 PORT

INNAGE TABLE
HERMETIC

GAUGE HEIGHT 15'-08 1/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,603.68	0	3,965.25	0	4,326.56	0	4,675.78	0	5,008.22	0		0		0		0		0	
1/4	3,611.21	1/4	3,972.78	1/4	4,334.01	1/4	4,682.85	1/4	5,015.65	1/4		1/4		1/4		1/4		1/4	
1/2	3,618.74	1/2	3,980.31	1/2	4,341.46	1/2	4,689.91	1/2	5,023.08	1/2		1/2		1/2		1/2		1/2	
3/4	3,626.27	3/4	3,987.84	3/4	4,348.92	3/4	4,696.98	3/4	5,030.52	3/4		3/4		3/4		3/4		3/4	
1	3,633.81	1	3,995.38	1	4,356.37	1	4,704.04	1	5,037.95	1		1		1		1		1	
1/4	3,641.34	1/4	4,002.91	1/4	4,363.79	1/4	4,711.05	1/4	5,045.39	1/4		1/4		1/4		1/4		1/4	
1/2	3,648.87	1/2	4,010.44	1/2	4,371.21	1/2	4,718.05	1/2	5,052.82	1/2		1/2		1/2		1/2		1/2	
3/4	3,656.41	3/4	4,017.97	3/4	4,378.63	3/4	4,725.06	3/4	5,060.26	3/4		3/4		3/4		3/4		3/4	
2	3,663.94	2	4,025.51	2	4,386.05	2	4,732.07	2	5,067.69	2		2		2		2		2	
1/4	3,671.47	1/4	4,033.04	1/4	4,393.44	1/4	4,739.04	1/4	5,075.12	1/4		1/4		1/4		1/4		1/4	
1/2	3,679.00	1/2	4,040.57	1/2	4,400.83	1/2	4,746.01	1/2	5,082.56	1/2		1/2		1/2		1/2		1/2	
3/4	3,686.54	3/4	4,048.11	3/4	4,408.21	3/4	4,752.98	3/4	5,089.99	3/4		3/4		3/4		3/4		3/4	
3	3,694.07	3	4,055.64	3	4,415.60	3	4,759.96	3	5,097.43	3		3		3		3		3	
1/4	3,701.60	1/4	4,063.17	1/4	4,422.96	1/4	4,766.90	1/4	5,104.86	1/4		1/4		1/4		1/4		1/4	
1/2	3,709.13	1/2	4,070.70	1/2	4,430.31	1/2	4,773.84	1/2	5,112.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,716.67	3/4	4,078.24	3/4	4,437.67	3/4	4,780.78	3/4	5,119.73	3/4		3/4		3/4		3/4		3/4	
4	3,724.20	4	4,085.77	4	4,445.02	4	4,787.72	4	5,127.16	4		4		4		4		4	
1/4	3,731.73	1/4	4,093.30	1/4	4,452.35	1/4	4,794.63	1/4	5,134.60	1/4		1/4		1/4		1/4		1/4	
1/2	3,739.26	1/2	4,100.83	1/2	4,459.67	1/2	4,801.54	1/2	5,142.03	1/2		1/2		1/2		1/2		1/2	
3/4	3,746.80	3/4	4,108.37	3/4	4,467.00	3/4	4,808.45	3/4	5,149.47	3/4		3/4		3/4		3/4		3/4	
5	3,754.33	5	4,115.90	5	4,474.32	5	4,815.35	5	5,156.90	5		5		5		5		5	
1/4	3,761.86	1/4	4,123.43	1/4	4,481.61	1/4	4,822.23	1/4	5,164.33	1/4		1/4		1/4		1/4		1/4	
1/2	3,769.40	1/2	4,130.97	1/2	4,488.90	1/2	4,829.11	1/2	5,171.77	1/2		1/2		1/2		1/2		1/2	
3/4	3,776.93	3/4	4,138.50	3/4	4,496.19	3/4	4,835.98	3/4	5,179.20	3/4		3/4		3/4		3/4		3/4	
6	3,784.46	6	4,146.03	6	4,503.49	6	4,842.86	6	5,186.64	6		6		6		6		6	
1/4	3,791.99	1/4	4,153.56	1/4	4,510.74	1/4	4,849.70	1/4	5,192.82	1/4		1/4		1/4		1/4		1/4	
1/2	3,799.53	1/2	4,161.10	1/2	4,518.00	1/2	4,856.55	1/2	5,199.00	1/2		1/2		1/2		1/2		1/2	
3/4	3,807.06	3/4	4,168.63	3/4	4,525.26	3/4	4,863.39	3/4	5,205.18	3/4		3/4		3/4		3/4		3/4	
7	3,814.59	7	4,176.16	7	4,532.52	7	4,870.24	7	5,211.36	7		7		7		7		7	
1/4	3,822.12	1/4	4,183.69	1/4	4,539.75	1/4	4,877.05	1/4	5,216.31	1/4		1/4		1/4		1/4		1/4	
1/2	3,829.66	1/2	4,191.23	1/2	4,546.98	1/2	4,883.86	1/2	5,221.26	1/2		1/2		1/2		1/2		1/2	
3/4	3,837.19	3/4	4,198.76	3/4	4,554.20	3/4	4,890.67	3/4	5,226.21	3/4		3/4		3/4		3/4		3/4	
8	3,844.72	8	4,206.29	8	4,561.43	8	4,897.49	8	5,231.17	8		8		8		8		8	
1/4	3,852.26	1/4	4,213.83	1/4	4,568.63	1/4	4,904.27	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,859.79	1/2	4,221.36	1/2	4,575.82	1/2	4,911.05	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,867.32	3/4	4,228.89	3/4	4,583.02	3/4	4,917.83	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,874.85	9	4,236.42	9	4,590.21	9	4,924.61	9		9		9		9		9		9	
1/4	3,882.39	1/4	4,243.96	1/4	4,597.37	1/4	4,931.36	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,889.92	1/2	4,251.49	1/2	4,604.54	1/2	4,938.11	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,897.45	3/4	4,259.02	3/4	4,611.70	3/4	4,944.86	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,904.98	10	4,266.55	10	4,618.86	10	4,951.61	10		10		10		10		10		10	
1/4	3,912.52	1/4	4,274.07	1/4	4,625.99	1/4	4,958.32	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,920.05	1/2	4,281.59	1/2	4,633.12	1/2	4,965.04	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,927.58	3/4	4,289.11	3/4	4,640.25	3/4	4,971.76	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,935.12	11	4,296.62	11	4,647.39	11	4,978.48	11		11		11		11		11		11	
1/4	3,942.65	1/4	4,304.11	1/4	4,654.48	1/4	4,985.91	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,950.18	1/2	4,311.59	1/2	4,661.58	1/2	4,993.35	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,957.71	3/4	4,319.08	3/4	4,668.68	3/4	5,000.78	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/15/2020 JS
CALCULATED: 09/16/2020 CL
PRINTED: 09/16/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "PTC 2002"

2 STBD INNAGE TABLE

HERMETIC
GAUGE HEIGHT 15'-08 1/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	23.63	0	355.85	0	710.87	0	1,064.35	0	1,417.83	0	1,779.50	0	2,141.17	0	2,502.84	0	2,864.41	0	3,225.94
1/4	27.19	1/4	363.39	1/4	718.41	1/4	1,071.54	1/4	1,425.36	1/4	1,787.03	1/4	2,148.70	1/4	2,510.37	1/4	2,871.94	1/4	3,233.47
1/2	30.76	1/2	370.92	1/2	725.94	1/2	1,078.73	1/2	1,432.89	1/2	1,794.57	1/2	2,156.24	1/2	2,517.91	1/2	2,879.47	1/2	3,241.01
3/4	34.32	3/4	378.46	3/4	733.48	3/4	1,085.92	3/4	1,440.43	3/4	1,802.10	3/4	2,163.77	3/4	2,525.44	3/4	2,887.00	3/4	3,248.54
1	37.89	1	385.99	1	741.01	1	1,093.11	1	1,447.96	1	1,809.63	1	2,171.31	1	2,532.98	1	2,894.53	1	3,256.07
1/4	42.71	1/4	393.53	1/4	748.54	1/4	1,100.30	1/4	1,455.50	1/4	1,817.17	1/4	2,178.84	1/4	2,540.51	1/4	2,902.07	1/4	3,263.60
1/2	47.53	1/2	401.06	1/2	756.08	1/2	1,107.50	1/2	1,463.03	1/2	1,824.70	1/2	2,186.37	1/2	2,548.05	1/2	2,909.60	1/2	3,271.13
3/4	52.35	3/4	408.60	3/4	763.61	3/4	1,114.69	3/4	1,470.57	3/4	1,832.24	3/4	2,193.91	3/4	2,555.58	3/4	2,917.13	3/4	3,278.67
2	57.17	2	416.13	2	771.15	2	1,121.88	2	1,478.10	2	1,839.77	2	2,201.44	2	2,563.11	2	2,924.66	2	3,286.20
1/4	64.08	1/4	423.66	1/4	778.68	1/4	1,129.07	1/4	1,485.64	1/4	1,847.31	1/4	2,208.98	1/4	2,570.65	1/4	2,932.19	1/4	3,293.73
1/2	70.98	1/2	431.20	1/2	786.22	1/2	1,136.26	1/2	1,493.17	1/2	1,854.84	1/2	2,216.51	1/2	2,578.18	1/2	2,939.73	1/2	3,301.26
3/4	77.89	3/4	438.73	3/4	793.75	3/4	1,143.45	3/4	1,500.71	3/4	1,862.38	3/4	2,224.05	3/4	2,585.72	3/4	2,947.26	3/4	3,308.79
3	84.79	3	446.27	3	801.29	3	1,150.64	3	1,508.24	3	1,869.91	3	2,231.58	3	2,593.25	3	2,954.79	3	3,316.33
1/4	92.29	1/4	453.80	1/4	808.82	1/4	1,157.84	1/4	1,515.78	1/4	1,877.45	1/4	2,239.12	1/4	2,600.79	1/4	2,962.32	1/4	3,323.86
1/2	99.79	1/2	461.34	1/2	816.35	1/2	1,165.03	1/2	1,523.31	1/2	1,884.98	1/2	2,246.65	1/2	2,608.32	1/2	2,969.85	1/2	3,331.39
3/4	107.29	3/4	468.87	3/4	823.89	3/4	1,172.22	3/4	1,530.85	3/4	1,892.52	3/4	2,254.19	3/4	2,615.85	3/4	2,977.39	3/4	3,338.92
4	114.79	4	476.40	4	831.42	4	1,179.41	4	1,538.38	4	1,900.05	4	2,261.72	4	2,623.38	4	2,984.92	4	3,346.45
1/4	122.32	1/4	483.94	1/4	838.96	1/4	1,186.60	1/4	1,545.92	1/4	1,907.59	1/4	2,269.26	1/4	2,630.91	1/4	2,992.45	1/4	3,353.99
1/2	129.84	1/2	491.47	1/2	846.49	1/2	1,193.79	1/2	1,553.45	1/2	1,915.12	1/2	2,276.79	1/2	2,638.45	1/2	2,999.98	1/2	3,361.52
3/4	137.37	3/4	499.01	3/4	854.03	3/4	1,200.99	3/4	1,560.99	3/4	1,922.66	3/4	2,284.33	3/4	2,645.98	3/4	3,007.51	3/4	3,369.05
5	144.89	5	506.54	5	861.56	5	1,208.18	5	1,568.52	5	1,930.19	5	2,291.86	5	2,653.51	5	3,015.05	5	3,376.58
1/4	152.43	1/4	514.08	1/4	869.10	1/4	1,215.38	1/4	1,576.06	1/4	1,937.73	1/4	2,299.40	1/4	2,661.04	1/4	3,022.58	1/4	3,384.11
1/2	159.96	1/2	521.61	1/2	876.63	1/2	1,222.58	1/2	1,583.59	1/2	1,945.26	1/2	2,306.93	1/2	2,668.57	1/2	3,030.11	1/2	3,391.65
3/4	167.49	3/4	529.15	3/4	884.17	3/4	1,229.79	3/4	1,591.13	3/4	1,952.80	3/4	2,314.47	3/4	2,676.11	3/4	3,037.64	3/4	3,399.18
6	175.03	6	536.68	6	891.70	6	1,236.99	6	1,598.66	6	1,960.33	6	2,322.00	6	2,683.64	6	3,045.17	6	3,406.71
1/4	182.56	1/4	544.21	1/4	898.90	1/4	1,244.52	1/4	1,606.20	1/4	1,967.87	1/4	2,329.54	1/4	2,691.17	1/4	3,052.71	1/4	3,414.24
1/2	190.10	1/2	551.75	1/2	906.11	1/2	1,252.06	1/2	1,613.73	1/2	1,975.40	1/2	2,337.07	1/2	2,698.70	1/2	3,060.24	1/2	3,421.77
3/4	197.63	3/4	559.28	3/4	913.31	3/4	1,259.59	3/4	1,621.26	3/4	1,982.94	3/4	2,344.61	3/4	2,706.23	3/4	3,067.77	3/4	3,429.31
7	205.17	7	566.82	7	920.51	7	1,267.13	7	1,628.80	7	1,990.47	7	2,352.14	7	2,713.77	7	3,075.30	7	3,436.84
1/4	212.70	1/4	574.35	1/4	927.71	1/4	1,274.66	1/4	1,636.33	1/4	1,998.00	1/4	2,359.68	1/4	2,721.30	1/4	3,082.83	1/4	3,444.37
1/2	220.24	1/2	581.89	1/2	934.90	1/2	1,282.20	1/2	1,643.87	1/2	2,005.54	1/2	2,367.21	1/2	2,728.83	1/2	3,090.37	1/2	3,451.90
3/4	227.77	3/4	589.42	3/4	942.09	3/4	1,289.73	3/4	1,651.40	3/4	2,013.07	3/4	2,374.74	3/4	2,736.36	3/4	3,097.90	3/4	3,459.43
8	235.30	8	596.96	8	949.28	8	1,297.27	8	1,658.94	8	2,020.61	8	2,382.28	8	2,743.89	8	3,105.43	8	3,466.97
1/4	242.84	1/4	603.66	1/4	956.47	1/4	1,304.80	1/4	1,666.47	1/4	2,028.14	1/4	2,389.81	1/4	2,751.43	1/4	3,112.96	1/4	3,474.50
1/2	250.37	1/2	610.37	1/2	963.66	1/2	1,312.34	1/2	1,674.01	1/2	2,035.68	1/2	2,397.35	1/2	2,758.96	1/2	3,120.49	1/2	3,482.03
3/4	257.91	3/4	617.07	3/4	970.85	3/4	1,319.87	3/4	1,681.54	3/4	2,043.21	3/4	2,404.88	3/4	2,766.49	3/4	3,128.03	3/4	3,489.56
9	265.44	9	623.78	9	978.05	9	1,327.41	9	1,689.08	9	2,050.75	9	2,412.42	9	2,774.02	9	3,135.56	9	3,497.09
1/4	272.98	1/4	630.48	1/4	985.24	1/4	1,334.94	1/4	1,696.61	1/4	2,058.28	1/4	2,419.95	1/4	2,781.55	1/4	3,143.09	1/4	3,504.63
1/2	280.51	1/2	637.19	1/2	992.43	1/2	1,342.48	1/2	1,704.15	1/2	2,065.82	1/2	2,427.49	1/2	2,789.09	1/2	3,150.62	1/2	3,512.16
3/4	288.04	3/4	643.89	3/4	999.62	3/4	1,350.01	3/4	1,711.68	3/4	2,073.35	3/4	2,435.02	3/4	2,796.62	3/4	3,158.15	3/4	3,519.69
10	295.58	10	650.60	10	1,006.81	10	1,357.55	10	1,719.22	10	2,080.89	10	2,442.56	10	2,804.15	10	3,165.69	10	3,527.22
1/4	303.11	1/4	658.13	1/4	1,014.00	1/4	1,365.08	1/4	1,726.75	1/4	2,088.42	1/4	2,450.09	1/4	2,811.68	1/4	3,173.22	1/4	3,534.75
1/2	310.65	1/2	665.66	1/2	1,021.20	1/2	1,372.62	1/2	1,734.29	1/2	2,095.96	1/2	2,457.63	1/2	2,819.21	1/2	3,180.75	1/2	3,542.29
3/4	318.18	3/4	673.20	3/4	1,028.39	3/4	1,380.15	3/4	1,741.82	3/4	2,103.49	3/4	2,465.16	3/4	2,826.75	3/4	3,188.28	3/4	3,549.82
11	325.72	11	680.73	11	1,035.58	11	1,387.69	11	1,749.36	11	2,111.03	11	2,472.70	11	2,834.28	11	3,195.81	11	3,557.35
1/4	333.25	1/4	688.27	1/4	1,042.77	1/4	1,395.22	1/4	1,756.89	1/4	2,118.56	1/4	2,480.23	1/4	2,841.81	1/4	3,203.35	1/4	3,564.88
1/2	340.79	1/2	695.80	1/2	1,049.96	1/2	1,402.76	1/2	1,764.43	1/2	2,126.10	1/2	2,487.77	1/2	2,849.34	1/2	3,210.88	1/2	3,572.41
3/4	348.32	3/4	703.34	3/4	1,057.15	3/4	1,410.29	3/4	1,771.96	3/4	2,133.63	3/4	2,495.30	3/4	2,856.87	3/4	3,218.41	3/4	3,579.95

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 2" DIAMETER "HERMETIC" VALVE
 GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 42'-03" FORWARD OF AFT BULKHEAD

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "PTC 2002"

2 STBD

INNAGE TABLE HERMETIC

GAUGE HEIGHT 15'-08 1/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,587.48	0	3,949.01	0	4,310.29	0	4,659.50	0	4,991.95	0		0		0		0		0	
1/4	3,595.01	1/4	3,956.55	1/4	4,317.74	1/4	4,666.56	1/4	4,999.38	1/4		1/4		1/4		1/4		1/4	
1/2	3,602.54	1/2	3,964.08	1/2	4,325.19	1/2	4,673.63	1/2	5,006.82	1/2		1/2		1/2		1/2		1/2	
3/4	3,610.07	3/4	3,971.61	3/4	4,332.65	3/4	4,680.70	3/4	5,014.25	3/4		3/4		3/4		3/4		3/4	
1	3,617.61	1	3,979.14	1	4,340.10	1	4,687.76	1	5,021.69	1		1		1		1		1	
1/4	3,625.14	1/4	3,986.67	1/4	4,347.52	1/4	4,694.77	1/4	5,029.12	1/4		1/4		1/4		1/4		1/4	
1/2	3,632.67	1/2	3,994.21	1/2	4,354.94	1/2	4,701.77	1/2	5,036.55	1/2		1/2		1/2		1/2		1/2	
3/4	3,640.20	3/4	4,001.74	3/4	4,362.36	3/4	4,708.78	3/4	5,043.99	3/4		3/4		3/4		3/4		3/4	
2	3,647.73	2	4,009.27	2	4,369.78	2	4,715.79	2	5,051.42	2		2		2		2		2	
1/4	3,655.27	1/4	4,016.80	1/4	4,377.16	1/4	4,722.76	1/4	5,058.86	1/4		1/4		1/4		1/4		1/4	
1/2	3,662.80	1/2	4,024.33	1/2	4,384.55	1/2	4,729.73	1/2	5,066.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,670.33	3/4	4,031.87	3/4	4,391.94	3/4	4,736.70	3/4	5,073.72	3/4		3/4		3/4		3/4		3/4	
3	3,677.86	3	4,039.40	3	4,399.33	3	4,743.68	3	5,081.16	3		3		3		3		3	
1/4	3,685.39	1/4	4,046.93	1/4	4,406.68	1/4	4,750.62	1/4	5,088.59	1/4		1/4		1/4		1/4		1/4	
1/2	3,692.93	1/2	4,054.46	1/2	4,414.04	1/2	4,757.56	1/2	5,096.02	1/2		1/2		1/2		1/2		1/2	
3/4	3,700.46	3/4	4,061.99	3/4	4,421.39	3/4	4,764.50	3/4	5,103.46	3/4		3/4		3/4		3/4		3/4	
4	3,707.99	4	4,069.53	4	4,428.75	4	4,771.44	4	5,110.89	4		4		4		4		4	
1/4	3,715.52	1/4	4,077.06	1/4	4,436.07	1/4	4,778.35	1/4	5,118.33	1/4		1/4		1/4		1/4		1/4	
1/2	3,723.05	1/2	4,084.59	1/2	4,443.39	1/2	4,785.26	1/2	5,125.76	1/2		1/2		1/2		1/2		1/2	
3/4	3,730.59	3/4	4,092.12	3/4	4,450.72	3/4	4,792.17	3/4	5,133.19	3/4		3/4		3/4		3/4		3/4	
5	3,738.12	5	4,099.65	5	4,458.04	5	4,799.08	5	5,140.63	5		5		5		5		5	
1/4	3,745.65	1/4	4,107.19	1/4	4,465.33	1/4	4,805.95	1/4	5,148.06	1/4		1/4		1/4		1/4		1/4	
1/2	3,753.18	1/2	4,114.72	1/2	4,472.62	1/2	4,812.83	1/2	5,155.49	1/2		1/2		1/2		1/2		1/2	
3/4	3,760.71	3/4	4,122.25	3/4	4,479.91	3/4	4,819.71	3/4	5,162.93	3/4		3/4		3/4		3/4		3/4	
6	3,768.25	6	4,129.78	6	4,487.21	6	4,826.59	6	5,170.36	6		6		6		6		6	
1/4	3,775.78	1/4	4,137.31	1/4	4,494.46	1/4	4,833.43	1/4	5,176.54	1/4		1/4		1/4		1/4		1/4	
1/2	3,783.31	1/2	4,144.85	1/2	4,501.72	1/2	4,840.28	1/2	5,182.72	1/2		1/2		1/2		1/2		1/2	
3/4	3,790.84	3/4	4,152.38	3/4	4,508.98	3/4	4,847.12	3/4	5,188.89	3/4		3/4		3/4		3/4		3/4	
7	3,798.37	7	4,159.91	7	4,516.24	7	4,853.96	7	5,195.07	7		7		7		7		7	
1/4	3,805.91	1/4	4,167.44	1/4	4,523.47	1/4	4,860.78	1/4	5,200.02	1/4		1/4		1/4		1/4		1/4	
1/2	3,813.44	1/2	4,174.97	1/2	4,530.70	1/2	4,867.59	1/2	5,204.97	1/2		1/2		1/2		1/2		1/2	
3/4	3,820.97	3/4	4,182.51	3/4	4,537.92	3/4	4,874.40	3/4	5,209.92	3/4		3/4		3/4		3/4		3/4	
8	3,828.50	8	4,190.04	8	4,545.15	8	4,881.22	8	5,214.87	8		8		8		8		8	
1/4	3,836.03	1/4	4,197.57	1/4	4,552.35	1/4	4,888.00	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,843.57	1/2	4,205.10	1/2	4,559.54	1/2	4,894.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,851.10	3/4	4,212.63	3/4	4,566.73	3/4	4,901.56	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,858.63	9	4,220.17	9	4,573.93	9	4,908.34	9		9		9		9		9		9	
1/4	3,866.16	1/4	4,227.70	1/4	4,581.09	1/4	4,915.09	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,873.69	1/2	4,235.23	1/2	4,588.26	1/2	4,921.84	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,881.23	3/4	4,242.76	3/4	4,595.42	3/4	4,928.59	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,888.76	10	4,250.29	10	4,602.58	10	4,935.34	10		10		10		10		10		10	
1/4	3,896.29	1/4	4,257.81	1/4	4,609.71	1/4	4,942.06	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,903.82	1/2	4,265.32	1/2	4,616.84	1/2	4,948.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,911.35	3/4	4,272.84	3/4	4,623.97	3/4	4,955.50	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,918.89	11	4,280.35	11	4,631.10	11	4,962.22	11		11		11		11		11		11	
1/4	3,926.42	1/4	4,287.84	1/4	4,638.20	1/4	4,969.65	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,933.95	1/2	4,295.32	1/2	4,645.30	1/2	4,977.08	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,941.48	3/4	4,302.81	3/4	4,652.40	3/4	4,984.52	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/15/2020 JS
CALCULATED: 09/16/2020 CL
PRINTED: 09/16/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "PTC 2002"

3 PORT

INNAGE TABLE HERMETIC

GAUGE HEIGHT 15'-08 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,544.30	0	3,737.35	0	3,930.14	0	4,110.90	0	4,275.69	0		0		0		0		0	
1/4	3,548.33	1/4	3,741.37	1/4	3,934.08	1/4	4,114.45	1/4	4,279.66	1/4		1/4		1/4		1/4		1/4	
1/2	3,552.35	1/2	3,745.39	1/2	3,938.02	1/2	4,118.01	1/2	4,283.62	1/2		1/2		1/2		1/2		1/2	
3/4	3,556.37	3/4	3,749.42	3/4	3,941.97	3/4	4,121.57	3/4	4,287.59	3/4		3/4		3/4		3/4		3/4	
1	3,560.39	1	3,753.44	1	3,945.91	1	4,125.13	1	4,291.56	1		1		1		1		1	
1/4	3,564.41	1/4	3,757.46	1/4	3,949.82	1/4	4,128.64	1/4	4,295.53	1/4		1/4		1/4		1/4		1/4	
1/2	3,568.44	1/2	3,761.48	1/2	3,953.73	1/2	4,132.15	1/2	4,299.50	1/2		1/2		1/2		1/2		1/2	
3/4	3,572.46	3/4	3,765.50	3/4	3,957.64	3/4	4,135.66	3/4	4,303.47	3/4		3/4		3/4		3/4		3/4	
2	3,576.48	2	3,769.53	2	3,961.55	2	4,139.17	2	4,307.44	2		2		2		2		2	
1/4	3,580.50	1/4	3,773.55	1/4	3,965.42	1/4	4,142.65	1/4	4,311.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,584.52	1/2	3,777.57	1/2	3,969.30	1/2	4,146.13	1/2	4,315.37	1/2		1/2		1/2		1/2		1/2	
3/4	3,588.54	3/4	3,781.59	3/4	3,973.18	3/4	4,149.61	3/4	4,319.34	3/4		3/4		3/4		3/4		3/4	
3	3,592.57	3	3,785.61	3	3,977.06	3	4,153.09	3	4,323.31	3		3		3		3		3	
1/4	3,596.59	1/4	3,789.63	1/4	3,980.90	1/4	4,156.53	1/4	4,327.28	1/4		1/4		1/4		1/4		1/4	
1/2	3,600.61	1/2	3,793.66	1/2	3,984.75	1/2	4,159.98	1/2	4,331.25	1/2		1/2		1/2		1/2		1/2	
3/4	3,604.63	3/4	3,797.68	3/4	3,988.59	3/4	4,163.43	3/4	4,335.22	3/4		3/4		3/4		3/4		3/4	
4	3,608.65	4	3,801.70	4	3,992.44	4	4,166.88	4	4,339.19	4		4		4		4		4	
1/4	3,612.68	1/4	3,805.72	1/4	3,996.25	1/4	4,170.29	1/4	4,343.16	1/4		1/4		1/4		1/4		1/4	
1/2	3,616.70	1/2	3,809.74	1/2	4,000.07	1/2	4,173.71	1/2	4,347.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,620.72	3/4	3,813.77	3/4	4,003.88	3/4	4,177.12	3/4	4,351.09	3/4		3/4		3/4		3/4		3/4	
5	3,624.74	5	3,817.79	5	4,007.69	5	4,180.54	5	4,355.06	5		5		5		5		5	
1/4	3,628.76	1/4	3,821.81	1/4	4,011.48	1/4	4,183.92	1/4	4,359.03	1/4		1/4		1/4		1/4		1/4	
1/2	3,632.78	1/2	3,825.83	1/2	4,015.26	1/2	4,187.30	1/2	4,363.00	1/2		1/2		1/2		1/2		1/2	
3/4	3,636.81	3/4	3,829.85	3/4	4,019.04	3/4	4,190.69	3/4	4,366.97	3/4		3/4		3/4		3/4		3/4	
6	3,640.83	6	3,833.87	6	4,022.82	6	4,194.07	6	4,370.94	6		6		6		6		6	
1/4	3,644.85	1/4	3,837.90	1/4	4,026.57	1/4	4,197.42	1/4	4,373.66	1/4		1/4		1/4		1/4		1/4	
1/2	3,648.87	1/2	3,841.92	1/2	4,030.32	1/2	4,200.77	1/2	4,376.38	1/2		1/2		1/2		1/2		1/2	
3/4	3,652.89	3/4	3,845.94	3/4	4,034.07	3/4	4,204.12	3/4	4,379.10	3/4		3/4		3/4		3/4		3/4	
7	3,656.91	7	3,849.96	7	4,037.82	7	4,207.47	7	4,381.82	7		7		7		7		7	
1/4	3,660.94	1/4	3,853.98	1/4	4,041.54	1/4	4,210.79	1/4	4,383.31	1/4		1/4		1/4		1/4		1/4	
1/2	3,664.96	1/2	3,858.00	1/2	4,045.26	1/2	4,214.11	1/2	4,384.79	1/2		1/2		1/2		1/2		1/2	
3/4	3,668.98	3/4	3,862.03	3/4	4,048.97	3/4	4,217.43	3/4	4,386.27	3/4		3/4		3/4		3/4		3/4	
8	3,673.00	8	3,866.05	8	4,052.69	8	4,220.75	8	4,387.76	8		8		8		8		8	
1/4	3,677.02	1/4	3,870.07	1/4	4,056.38	1/4	4,224.04	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,681.05	1/2	3,874.09	1/2	4,060.06	1/2	4,227.33	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,685.07	3/4	3,878.11	3/4	4,063.75	3/4	4,230.61	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,689.09	9	3,882.14	9	4,067.43	9	4,233.90	9		9		9		9		9		9	
1/4	3,693.11	1/4	3,886.16	1/4	4,071.09	1/4	4,237.15	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,697.13	1/2	3,890.18	1/2	4,074.74	1/2	4,240.41	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,701.15	3/4	3,894.20	3/4	4,078.40	3/4	4,243.66	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,705.18	10	3,898.22	10	4,082.05	10	4,246.92	10		10		10		10		10		10	
1/4	3,709.20	1/4	3,902.23	1/4	4,085.67	1/4	4,250.14	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,713.22	1/2	3,906.23	1/2	4,089.29	1/2	4,253.37	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,717.24	3/4	3,910.24	3/4	4,092.91	3/4	4,256.59	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,721.26	11	3,914.24	11	4,096.54	11	4,259.81	11		11		11		11		11		11	
1/4	3,725.29	1/4	3,918.22	1/4	4,100.13	1/4	4,263.78	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,729.31	1/2	3,922.19	1/2	4,103.72	1/2	4,267.75	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,733.33	3/4	3,926.17	3/4	4,107.31	3/4	4,271.72	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/15/2020 JS
CALCULATED: 09/16/2020 CL
PRINTED: 09/16/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "PTC 2002"

3 STBD

INNAGE TABLE HERMETIC

GAUGE HEIGHT 15'-07 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,522.88	0	3,715.46	0	3,907.79	0	4,088.08	0	4,252.39	0		0		0		0		0	
1/4	3,526.89	1/4	3,719.47	1/4	3,911.72	1/4	4,091.63	1/4	4,256.35	1/4		1/4		1/4		1/4		1/4	
1/2	3,530.90	1/2	3,723.49	1/2	3,915.66	1/2	4,095.17	1/2	4,260.31	1/2		1/2		1/2		1/2		1/2	
3/4	3,534.91	3/4	3,727.50	3/4	3,919.59	3/4	4,098.72	3/4	4,264.27	3/4		3/4		3/4		3/4		3/4	
1	3,538.92	1	3,731.51	1	3,923.52	1	4,102.27	1	4,268.23	1		1		1		1		1	
1/4	3,542.94	1/4	3,735.52	1/4	3,927.42	1/4	4,105.77	1/4	4,272.19	1/4		1/4		1/4		1/4		1/4	
1/2	3,546.95	1/2	3,739.53	1/2	3,931.32	1/2	4,109.27	1/2	4,276.15	1/2		1/2		1/2		1/2		1/2	
3/4	3,550.96	3/4	3,743.55	3/4	3,935.22	3/4	4,112.77	3/4	4,280.11	3/4		3/4		3/4		3/4		3/4	
2	3,554.97	2	3,747.56	2	3,939.12	2	4,116.27	2	4,284.06	2		2		2		2		2	
1/4	3,558.99	1/4	3,751.57	1/4	3,942.99	1/4	4,119.74	1/4	4,288.02	1/4		1/4		1/4		1/4		1/4	
1/2	3,563.00	1/2	3,755.58	1/2	3,946.86	1/2	4,123.21	1/2	4,291.98	1/2		1/2		1/2		1/2		1/2	
3/4	3,567.01	3/4	3,759.60	3/4	3,950.72	3/4	4,126.68	3/4	4,295.94	3/4		3/4		3/4		3/4		3/4	
3	3,571.02	3	3,763.61	3	3,954.59	3	4,130.15	3	4,299.90	3		3		3		3		3	
1/4	3,575.03	1/4	3,767.62	1/4	3,958.43	1/4	4,133.59	1/4	4,303.86	1/4		1/4		1/4		1/4		1/4	
1/2	3,579.05	1/2	3,771.63	1/2	3,962.26	1/2	4,137.03	1/2	4,307.82	1/2		1/2		1/2		1/2		1/2	
3/4	3,583.06	3/4	3,775.64	3/4	3,966.10	3/4	4,140.46	3/4	4,311.78	3/4		3/4		3/4		3/4		3/4	
4	3,587.07	4	3,779.66	4	3,969.94	4	4,143.90	4	4,315.74	4		4		4		4		4	
1/4	3,591.08	1/4	3,783.67	1/4	3,973.74	1/4	4,147.31	1/4	4,319.70	1/4		1/4		1/4		1/4		1/4	
1/2	3,595.10	1/2	3,787.68	1/2	3,977.54	1/2	4,150.71	1/2	4,323.66	1/2		1/2		1/2		1/2		1/2	
3/4	3,599.11	3/4	3,791.69	3/4	3,981.35	3/4	4,154.12	3/4	4,327.62	3/4		3/4		3/4		3/4		3/4	
5	3,603.12	5	3,795.71	5	3,985.15	5	4,157.52	5	4,331.58	5		5		5		5		5	
1/4	3,607.13	1/4	3,799.72	1/4	3,988.92	1/4	4,160.89	1/4	4,335.54	1/4		1/4		1/4		1/4		1/4	
1/2	3,611.14	1/2	3,803.73	1/2	3,992.70	1/2	4,164.27	1/2	4,339.50	1/2		1/2		1/2		1/2		1/2	
3/4	3,615.16	3/4	3,807.74	3/4	3,996.47	3/4	4,167.64	3/4	4,343.46	3/4		3/4		3/4		3/4		3/4	
6	3,619.17	6	3,811.75	6	4,000.24	6	4,171.01	6	4,347.42	6		6		6		6		6	
1/4	3,623.18	1/4	3,815.77	1/4	4,003.98	1/4	4,174.35	1/4	4,350.12	1/4		1/4		1/4		1/4		1/4	
1/2	3,627.19	1/2	3,819.78	1/2	4,007.72	1/2	4,177.70	1/2	4,352.83	1/2		1/2		1/2		1/2		1/2	
3/4	3,631.21	3/4	3,823.79	3/4	4,011.46	3/4	4,181.04	3/4	4,355.54	3/4		3/4		3/4		3/4		3/4	
7	3,635.22	7	3,827.80	7	4,015.20	7	4,184.38	7	4,358.25	7		7		7		7		7	
1/4	3,639.23	1/4	3,831.82	1/4	4,018.91	1/4	4,187.69	1/4	4,359.72	1/4		1/4		1/4		1/4		1/4	
1/2	3,643.24	1/2	3,835.83	1/2	4,022.62	1/2	4,191.00	1/2	4,361.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,647.25	3/4	3,839.84	3/4	4,026.32	3/4	4,194.31	3/4	4,362.66	3/4		3/4		3/4		3/4		3/4	
8	3,651.27	8	3,843.85	8	4,030.03	8	4,197.61	8	4,364.13	8		8		8		8		8	
1/4	3,655.28	1/4	3,847.86	1/4	4,033.71	1/4	4,200.89	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,659.29	1/2	3,851.88	1/2	4,037.38	1/2	4,204.17	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,663.30	3/4	3,855.89	3/4	4,041.06	3/4	4,207.45	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,667.31	9	3,859.90	9	4,044.74	9	4,210.72	9		9		9		9		9		9	
1/4	3,671.33	1/4	3,863.91	1/4	4,048.38	1/4	4,213.97	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,675.34	1/2	3,867.92	1/2	4,052.02	1/2	4,217.21	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,679.35	3/4	3,871.94	3/4	4,055.67	3/4	4,220.46	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,683.36	10	3,875.95	10	4,059.31	10	4,223.70	10		10		10		10		10		10	
1/4	3,687.38	1/4	3,879.95	1/4	4,062.92	1/4	4,226.92	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,691.39	1/2	3,883.94	1/2	4,066.54	1/2	4,230.13	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,695.40	3/4	3,887.94	3/4	4,070.15	3/4	4,233.34	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,699.41	11	3,891.93	11	4,073.76	11	4,236.55	11		11		11		11		11		11	
1/4	3,703.42	1/4	3,895.90	1/4	4,077.34	1/4	4,240.51	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,707.44	1/2	3,899.86	1/2	4,080.92	1/2	4,244.47	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,711.45	3/4	3,903.83	3/4	4,084.50	3/4	4,248.43	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/15/2020 JS
CALCULATED: 09/16/2020 CL
PRINTED: 09/16/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>